```
===============================================================================
*                                                                             *
*    Cover Sheet                                                              *
*                                                                             *
===============================================================================


     *** 09/220284 ***


-------------------------------------------------------------------------------
*                                                                             *
*    Prepared for: Rones                                                      *
*                                                                             *
*    By          : Malinda Garris                                             *
*                                                                             *
*    Date        : January 27, 2000                                          *
*                                                                             *
-------------------------------------------------------------------------------
```

HI,

Attached are your search results. Please review and let me know if you
have any questions. If you would like any modifications please let me
know. My number is 305-0757

MALINDA GARRIS
ELECTRONIC INFORMATION CENTER
EIC2700

DIALOG(R)File 351:DERWENT WPI

012299346   **Image available**
WPI Acc No: 99-105452/199909
**Data synchronization system for portable client computer - establishes
non-persistent communication of communication module with gateway
computer, to allow access of client database from time to time**
Patent Assignee: WRIGHT STRATEGIES INC (WRIG-N)
Inventor: **O'GRADY J** ; WRIGHT G V
Number of Countries: 001   Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Main IPC	Week
US 5857201	A	19990105	US 96665422	A	19960618	G06F-017/30	199909 B

Priority Applications (No Type Date): US 96665422 A 19960618
Patent Details:

Patent	Kind	Lan	Pg	Filing Notes	Application	Patent
US 5857201	A		14			

Abstract (Basic): US 5857201 A
      The system includes a gateway computer which is connected to a data
memory (168) residing on a network. The computer retrieves, removes or
updates data in data memory.
      A portable client computer comprises a client database which is
accessed from time to time for synchronization of atleast a portion of
data in client database by establishing non-persistent connection of
communication module with gateway computer.
      USE - For occasional connection between mobile computer such as PDA
and enterprise computer by client-server technology.
      ADVANTAGE - Updates user application software with latest version
of application upon connection.
      Dwg.3/4
Derwent Class: T01
International Patent Class (Main): G06F-017/30
?

```
File    8:Ei Compendex(R) 1970-2000/Jan W2
          (c) 2000 Engineering Info. Inc.
File   77:CONFERENCE PAPERS INDEX 1973-2000/JAN
          (c) 2000 CAMBRIDGE SCI ABS
File  238:Abs. in New Tech & Eng. 1981-2000/Jan
          (c) 2000 Reed-Elsevier (UK) Ltd.
File   35:DISSERTATION ABSTRACTS ONLINE 1861-1999/DEC
          (c) 2000 UMI
File   65:Inside Conferences 1993-1999/Jun W3
          (c) 1999 BLDSC all rts. reserv.
File    2:INSPEC 1969-2000/Dec W3
          (c) 2000 Institution of Electrical Engineers
File   94:JICST-EPlus 1985-2000/Oct W2
          (c)2000 Japan Science and Tech Corp(JST)
File  233:MICROCOMPUTER ABSTRACTS 1981-2000/JAN
          (c) 2000 INFORMATION TODAY INCL.
File    6:NTIS 64-2000/Feb W2
          Comp&distr 1998 NTIS, Intl Copyright All Righ
File  144:PASCAL 1973-2000/DEC
          (c) 2000 INIST/CNRS
File   34:SciSearch(R) Cited Ref Sci 1990-2000/Jan W4
          (c) 2000 Inst for Sci Info
File  434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
          (c) 1998 Inst for Sci Info
File   99:Wilson Appl. Sci & Tech Abs 1983-2000/Dec
          (c) 2000 The HW Wilson Co.
```

Set	Items	Description
S1	1873	(READ? OR CHECK? OR UPDAT?) (N4) (MESSAG?)
S2	58	DIRECTORY?(N)SYNCHRONIZ?
S3	8711	(OFFSITE? OR OFF()SITE? OR REMOTE?) (N3) (PC OR PERSONAL?(-)COMPUTER? OR COMPUTER? OR MICROPROCESSOR?)
S4	1457	MOBILE?(N2)DEVICE? OR HANDHELD?(N)DEVICE?
S5	617	CC()MAIL? OR CCMAIL? OR REMOTE(N2)POST()OFFICE? OR REMOTE(-N2)MAILBOX? OR OFFSITE(N2)POST()OFFICE? OR OFFSITE?(N)MAILBOX?
S6	5	S5 AND (S3 OR S4)
S7	0	S6 AND (S1 OR S2)
S8	5	RD S6 (unique items)

?

8/7/1   (Item 1 from file: 2)
DIALOG(R)File   2:INSPEC

03721994   INSPEC Abstract Number: C90064834
 Title: Comfort in coming (communication software)
  Author(s): Hepe, J.
  Journal: Chip   no.7   p.90-1
  Publication Date: July 1990 Country of Publication: West Germany
  CODEN: CHIPDP ISSN: 0170-6632
  Language: German   Document Type: Journal Paper (JP)
  Treatment: Practical (P); Product Review (R)
  Abstract: The author lists 30 data communications programs, whose specialisation helps the user but makes his choosing harder. For each program the author states price (100 to 1800 DM), hardware required (PC, XT, AT, Atari St, MacIntosh), RAM size (53 to 1000 kbytes), speed (bits per sec.), the protocols supported (X/Y/X modem, Kermit, XON-XOFF and other) and various comments (e.g. further protocols, **PC   remote** control, **mailbox**   etc.). The list is intended to aid choosing the correct software for any wanted application. (0 Refs)

 8/7/2   (Item 1 from file: 233)
DIALOG(R)File 233:MICROCOMPUTER ABSTRACTS

00396409   95PQ09-005
  MobileWare: power at a price
  Rigney, Steve
  PC Magazine-Network Edition , September 12, 1995 , v14 n15 pNE24, 1 Page(s)
  ISSN: 0888-8507
  Company Name: MobileWare
  Product Name: MobileWare
  Presents a favorable review of MobileWare2.0 ($230-$280 per node), a remote access package from MobileWare Corp., Richardson, TX (214). The program requires a Windows NT server with a Pentium processor, 50MB disk space, 32MB RAM, and **cc :Mail** for Windows and FACSys for e-mail and fax capabilities. It allows users to access a LAN over analog modem, cellular phone, direct network connection, and the Cellular Digital Packet Data (CDPD) network. It cannot, however, control a **PC** on the network **remotely** or map a local drive or printer port to a network resource. The program is feature-rich, and includes a store-and-forward technology so users can create messages, documents, and faxes without connecting to the network and they are automatically sent when a connection is made. The program has an intuitive interface and offers several levels of security as well as good management tools. Includes two screen displays. (djd)

 8/7/3   (Item 2 from file: 233)
DIALOG(R)File 233:MICROCOMPUTER ABSTRACTS

00331032   93PK11-122
  A pair of wireless systems snip the E-mail ties that bind -- Intel, Da Vinci systems take to the road
  Kramer, Matt
  PC WEEK , November 8, 1993 , v10 n44 p101, 105, 2 Page(s)
  ISSN: 0740-1604
  Company Name: Da Vinci Systems; Intel Corp.
  Product Name: Da Vinci Wireless eMail; Wireless Modem
  Presents favorable reviews of Wireless eMAIL ($1195) and Wireless Modem ($795), two wireless communication systems from Da Vinci Systems Corp. of Raleigh, NC (800, 919) and Intel Corp. of Santa Clara, CA (800, 503), respectively. Says Wireless Modem features a Mobidem wireless modem and a utility for automatically activating the modem on the RAM Mobile Data network, was easy to configure and install, comes with software for **cc :Mail**   and Microsoft Mail remote clients, and can provide a wireless

connection to the AT&T EasyLink E-mail service; Wireless eMAIL offers flexibility for retrieving messages after logging in or have messages delivered to the **mobile device** , but has no TSR version of Everyware. Also says both products are affected by interference in radio channels. Given ratings of 3.6 and 3.5 points for Wireless eMAIL and Wireless Modem, respectively. Includes a score card, a table, and a diagram. (tbc)

8/7/4 **(Item 3 from file: 233)**
DIALOG(R)File 233:MICROCOMPUTER ABSTRACTS
(c) 2000 INFORMATION TODAY INCL. All rts. reserv.

00206869 89PK12-017
  Diamond in the rough
  Van Name, Mark L; Catchings, Bill; Tracy, Martha; Chandler, Doug
  PC WEEK , December 4, 1989 , v6 n48 p60, 64, 2 Pages
  ISSN: 0740-1604
  Presents a favorable review of tPOST ($625 for 4-user system), a modem-based electronic-mail package from Coker Electronics Inc. of San Mateo, CA (415). The tPOST Central v4.1 acts as the **post office** for **remote** users; and each **remote PC** must run **PC** -tPOST v3.1. Says it does not require a central PC since PC-tPOST systems can communicate with each other, but a combination of central PC and direct connections is possible. Both the central system and remote PCs can initiate mail-distribution calls; the central tPOST system can download library files to a **remote PC** -tPOST system. tPOST allows users to communicate with systems that are not running the tPOST software, and tPOST-FAXforward lets any **remote PC** -tPOST **PC** send messages to a fax machine. However, tPOST and PC-tPOST must be installed manually, and tPOST limits the mail directory to 200 users and the central personal computer to 3,200 files or messages. (irl)

8/7/5 **(Item 4 from file: 233)**
DIALOG(R)File 233:MICROCOMPUTER ABSTRACTS
(c) 2000 INFORMATION TODAY INCL. All rts. reserv.

00206868 89PK12-016
  Power at a price
  Van Name, Mark L; Catchings, Bill; Tracy, Martha; Chandler, Doug
  PC WEEK , December 4, 1989 , v6 n48 p60, 1 Pages
  ISSN: 0740-1604
  Presents a favorable review of **cc :Mail** Remote v3.01 ($1,875 for 4-user system), a modem-based electronic mail package from **cc :Mail** Inc. of Palo Alto, CA (800). Requires a central PC running the standard **cc : Mail** LAN Reference v3.03. Says it can handle and display attachments, including picture files; has a complete folder-and- document filing system for storing messages; encrypts mail files for privacy; automatically updates each **remote PC** 's mail directory when necessary; has good documentation and strong context-sensitive help facility. However, it lacks an automated installation procedure and is expensive. Notes that **cc :Mail** gateways and a facility for routing mail messages to fax machines are available. (irl)
?

...TEXT: other E-mail networks, fax servers, and communications resources.
cc:Mail even lets you perform **directory synchronizations** with E-mail
systems from other vendors.

cc:Mail's security features are also noteworthy... you configure users
individually or as groups, specifying whether they have the ability to
delete, **read** , or send **messages** , whether they can send mail to external
post offices, and whether they can send messages...

...of import and cut-and-paste operations and attached an external file. We
printed the **message** , **checking** for printer controls and the capability
to print attachments.

We then tested how easy it...worksheet into a message. We could set the
program's spelling checker to automatically spell **check** every **message**
we sent. (In addition to the included American English dictionary,
dictionaries for British English, French...server to add users to the GMHS
system before adding them to BeyondMail. Scheduling automatic **directory**
synchronizations of multiple post offices is not so easy, either. It's
handled by GMHS on... easy to move users and their messages across post
offices. cc:Mail can even conduct **directory synchronizations** with
foreign E-mail systems.

cc:Mail gives administrators a great deal of information about...

... once the post offices were properly linked through a dedicated message
server, all directories and **message** databases were **updated**
incrementally, with no need to schedule updates. That decreases
administrative chores, but it also leaves...

...but not as easy as those in cc:Mail).

And the program's hands-off **directory synchronization** is certainly easy
to manage. You can perform synchronizations with several major flavors of E
... t need to deal with the vagaries of MHS or GMHS. Although Microsoft
Mail's **directory synchronization** is not as easy to configure as
cc:Mail's, the process is simpler than...

...and checked to make sure the addition was made to the other.

Having established automatic **directory synchronization** , we attempted to
move a user and his or her messages from one post office...

... to create two types of remote installations: full-time or part-time. A
full-time **remote** user's **mailbox** exists only on the **remote** **PC** , and
messages are exchanged only when the remote unit calls in to the network. A
part-time **remote** user's **mailbox** exists on the network, which lets the
user connect remotely to the network E-mail...

...can also set up a user with mailboxes both on the network and on the
remote **PC** . You can even configure the program to route incoming
messages to the network mailbox and forward specified messages to the
remote **mailbox** when the user calls in. This option results in a lot of
duplicate messages, however...

... connect to the host. And you can even schedule Mobile to perform
unattended exchanges of **messages** and directory **updates** .

Set	Items	Description
S1	3333	(READ? OR CHECK? OR UPDAT?) (N4) (MESSAG?)
S2	5	DIRECTORY?(N)SYNCHRONIZ?
S3	1757	(OFFSITE? OR OFF()SITE? OR REMOTE?) (N3) (PC OR PERSONAL?(-)COMPUTER? OR COMPUTER? OR MICROPROCESSOR?)
S4	1341	MOBILE?(N2)DEVICE? OR HANDHELD?(N)DEVICE?
S5	30	CC()MAIL? OR CCMAIL? OR REMOTE(N2)POST()OFFICE? OR REMOTE(-N2)MAILBOX? OR OFFSITE(N2)POST()OFFICE? OR OFFSITE?(N)MAILBOX?
S6	10	S5 AND (S3 OR S4)
S7	8	S6 AND (S1 OR S2)

?

DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00973841
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Communication terminal device
Übertragungsendgerat
Dispositif terminal de communication
PATENT ASSIGNEE:
  Murata Kikai Kabushiki Kaisha, (308933), 3-banchi, Kisshoin Minami,
    Ochiai-cho, Minami-ku, Kyoto-shi, Kyoto, (JP), (applicant designated
    states: AT;BE;CH;CY;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE)
INVENTOR:
  Yoshikawa, Hiroyasu, 48-3, Inooka-Nakamine, Kyotanabe-shi, Kyoto, (JP)
  Soneoka, Taku, Murata Kikai Shataku A-203, 51-6, Makishima-cho,
    Motoyashiki, Uji-shi, Kyoto, (JP)
LEGAL REPRESENTATIVE:
  Liedl, Christine, Dipl.-Chem. et al (72482), Albert-Rosshaupter-Strasse
    65, 81369 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 883289 A2 981209 (Basic)
APPLICATION (CC, No, Date):   EP 98109872 980529;
PRIORITY (CC, No, Date): JP 97147376 970605
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
INTERNATIONAL PATENT CLASS: H04N-001/44;
ABSTRACT WORD COUNT: 53

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	9850	723
SPEC A	(English)	9850	2713
Total word count - document A			3436
Total word count - document B			0
Total word count - documents A + B			3436

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION or output if unprinted data is not already stored in the
  mailbox. Designation of the **mailbox** by the **remote** device may be such
  that a mailbox number is designated at the time a confidential...one of
  memory mailboxes 4 designated by a remote communication terminal device
  (such as a **remote** facsimile machine, **personal** **computer**, or the
  like) over the communication line L.
    When confidential data is received, information indicating...

DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00958619
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Document delivery system
Dokumentenverteilungssystem
Systeme de distribution de documents
PATENT ASSIGNEE:
  Tumbleweed Software Corporation, (2408151), 2010 Broadway, Redwood City,
    California 94063, (US), (applicant designated states:
    AT;BE;CH;CY;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE)
INVENTOR:
  Smith, Jeffrey C., 1305 Altschul Avenue, Menlo Park, Cal. 94025, (US)
  Bandini, Jean-Christophe, 10230 N. Foothill Boulevard, No. E10,
    Cupertino, Cal. 95014, (US)
LEGAL REPRESENTATIVE:
  DIEHL GLAESER HILTL & PARTNER (100237), Fluggenstrasse 13, 80639
    Munchen, (DE)

PATENT (CC, No, Kind, Date): EP 869652 A2 981007 (Basic)
APPLICATION (CC, No, Date): EP 98105986 980401;
PRIORITY (CC, No, Date): US 829976 970401; US 832784 970404
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
INTERNATIONAL PATENT CLASS: H04L-029/06; G06F-017/30; G06F-017/60;
ABSTRACT WORD COUNT: 119

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	9841	2320
SPEC A	(English)	9841	12699
Total word count - document A			15019
Total word count - document B			0
Total word count - documents A + B			15019

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION authorized users of the scheme. The encryption software
  may be located on the user's **computer** , or at a **remote** location. Thus,
  the document may be encrypted in situ, or upon transmission to another
  computer...

...without the secret key. Again, the decryption software may be located on
  the recipient's **computer** , or at a **remote** location.
    One potential problem associated with secret key encryption is the
  secure distribution of the...Win 3.1, Win '95, NT, Unix, OS/2),
  electronic mail systems (e.g. Microsoft, **cc : Mail** , Groupwise, Motes,
  Eudora), document types (e.g. paper, Postscript, Quark, WordPerfect,
  Excel), and user types...

6/3,K/3
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00657370
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
ABSTRACT WORD COUNT: 97

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF2	3394
SPEC A	(English)	EPABF2	37727
Total word count - document A			41121
Total word count - document B			0
Total word count - documents A + B			41121

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION Remote Access
  Description:
    Users will be able to control features of their IFAX 10 from **remote**
  locations using Windows **PC** 's connected via serial or through any PSTN
  interface using an IFAX or EFAX PC...

...Scanning From Windows allows users to scan documents to their PC using
  the IFAX Machine.
  * **Remote Mailbox** Control allows users to browse their mailbox, view,
  print and retrieve files remotely.
  * User Administration...

6/3,K/4
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00657368
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
ABSTRACT WORD COUNT: 222

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF2	1221
SPEC A	(English)	EPABF2	37434
Total word count - document A			38655
Total word count - document B			0
Total word count - documents A + B			38655

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION Remote Access
   Description:
     Users will be able to control features of their IFAX 10 from **remote**
   locations using Windows **PC** 's connected via serial or through any PSTN
   interface using an IFAX or EFAX PC their PC using the IFAX Machine.
   * **Remote   Mailbox** Control allows users to browse their mailbox, view,
   print and retrieve files remotely.
   * User Administration...

6/3,K/5
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00655517
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
An electronic mail system having integrated voice messages
Elektronisches Mitteilungssystem mit integrierten Sprachnachrichten
Systeme de courrier electronique ayant des messages vocaux integres
PATENT ASSIGNEE:
   VMX INC., (1659190), 2115 O'Nel Drive, San Jose, California 95131, (US),
     (applicant designated states: AT;BE;CH;DE;FR;GB;IT;LI;LU;NL;SE)
INVENTOR:
   Hyde-Thomson, Henry C.A., c/o VMX,Inc., 2115 O'Nel Drive, San Jose, CA
     95131, (US)
LEGAL REPRESENTATIVE:
   Schmidt, Steffen J., Dipl.-Ing. (70552), Wuesthoff & Wuesthoff, Patent-
     und Rechtsanwalte, Schweigerstrasse 2, D-81541 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 631419 A1 941228 (Basic)
                              EP 631419 B1 960327
APPLICATION (CC, No, Date):   EP 94101406 940131;
PRIORITY (CC, No, Date): US 80318 930622
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IT; LI; LU; NL; SE
INTERNATIONAL PATENT CLASS: H04M-003/50; H04L-012/58;
ABSTRACT WORD COUNT: 168

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF2	810
CLAIMS B	(English)	EPAB96	881
CLAIMS B	(German)	EPAB96	846
CLAIMS B	(French)	EPAB96	1095
SPEC A	(English)	EPABF2	8480
SPEC B	(English)	EPAB96	9303
Total word count - document A			9291
Total word count - document B			12125
Total word count - documents A + B			21416

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION The two most common LAN based E-mail systems are Microsoft
   Mail(TM) and Lotus **cc :Mail** (TM). Microsoft(TM) supports a set of APIs
     called Messaging Application Program Interface (MAPI) and...the mailbox

of the caller using the VIM (Vender Independent Messaging) APIs supported by Lotus **cc :Mail** .

   Figure 12 is a flowchart showing the steps for message playback of new messages with...called extension number.
   An E-mail software package, such as Microsoft Mail(TM) or Lotus **cc : Mail** (TM), is installed on the PCs 107-109 and on the voice gateway PC 103...

...products; and "Vendor Independent Messaging" (VIM) promoted by Lotus and others for interfacing to Lotus **cc :Mail** (TM) and other VIM compliant e-mail products. Table 1 below lists the MAPI and...is a known user, or to 1406 if it is not. In step 1412, the **cc :Mail** Import utility is used with the administrator password to create message from Caller or equivalent...system. That is, commercially available E-mail systems such as Microsoft Mail(TM) and Lotus **cc :Mail** (TM) support the ability to send E-mail systems to users located on different LANs...

...SPECIFICATION The two most common LAN based E-mail systems are Microsoft Mail(TM) and Lotus **cc :Mail** (TM). Microsoft(TM) supports a set of APIs called Messaging Application Program Interface (MAPI) and ...the mailbox of the caller using the VIM (Vender Independent Messaging) APIs supported by Lotus **cc :Mail** .

   Figure 12 is a flowchart showing the steps for message playback of new messages with TM) or Lotus **cc :Mail** (TM), is installed on the PCs 107-109 and on the voice gateway PC 103...

...products; and "Vendor Independent Messaging" (VIM) promoted by Lotus and others for interfacing to Lotus **cc :Mail** (TM) and other VIM compliant e-mail products. Table 1 below lists the MAPI and...is a known user, or to 1406 if it is not. In step 1412, the **cc :Mail** Import utility is used with the administrator password to create message from Caller or equivalent...system. That is, commercially available E-mail systems such as Microsoft Mail(TM) and Lotus **cc :Mail** (TM) support the ability to send E-mail systems to users located on different LANs...

...CLAIMS trunk lines connected to said switching system in order to connect to said voice gateway **computer** for providing **remote** telephone access for entering commands from a remote telephone; a data server computer coupled to...

...CLAIMS 112) connected to said switching system (102) in order to connect to said voice gateway **computer** (103) for providing **remote** telephone access for entering commands from a remote telephone; a data server computer (106, 106b...

6/3,K/6
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00653247
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Intelligent facsimile user interface and method of use.
Intelligente Faksimile-Benutzerschnittstelle und Verwendungsverfahren.
Interface de telecopieur intelligent pour utilisateur et procede d'utilisation.
PATENT ASSIGNEE:
  MICROSOFT CORPORATION, (749861), One Microsoft Way, Redmond, Washington 98052-6399, (US), (applicant designated states: DE;FR;GB)
INVENTOR:
  Reifman, Jeffrey Brian, 5307 Ravenna Place N.E., No. 6, Seattle, Washington 98115, (US)
  Delbene, Kurt Davis, 3201 Evergreen Point Road, Bellevue, Washington 98004, (US)
  Tobey, Chris Edward, 6529 Second Avenue N.E., Seattle, Washington 98115, (US)
  Marceau, Renee, 7108 Fifth Avenue N.E., Seattle, Washington 98115, (US)
LEGAL REPRESENTATIVE:

Patentanwalte Grunecker, Kinkeldey, Stockmair & Partner (100721),
    Maximilianstrasse 58, D-80538 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 629077 A2 941214 (Basic)
                              EP 629077 A3 960410
APPLICATION (CC, No, Date):   EP 94108551 940603;
PRIORITY (CC, No, Date): US 73511 930607
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: H04N-001/32; H04N-001/00;
ABSTRACT WORD COUNT: 300

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF2	3913
SPEC A	(English)	EPABF2	37815
Total word count - document A			41728
Total word count - document B			0
Total word count - documents A + B			41728

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION Remote Access
  Description:
    Users will be able to control features of their IFAX 10 from **remote**
  locations using Windows **PC** 's connected via serial or through any PSTN
  interface using an IFAX or EFAX PC...

...Scanning From Windows allows users to scan documents to their PC using
  the IFAX Machine.
  * **Remote   Mailbox** Control allows users to browse their mailbox, view,
  print and retrieve files remotely.
  * User Administration...

6/3,K/7
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00653245
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Facsimile user interface and method of use.
Faksimile-Benutzerschnittstelle und Verwendungsverfahren.
Interface de telecopieur pour utilisateur et procede d'utilisation.
PATENT ASSIGNEE:
  MICROSOFT CORPORATION, (749861), One Microsoft Way, Redmond, Washington
    98052-6399, (US), (applicant designated states: DE;FR;GB)
INVENTOR:
  Reifman, Jeffrey Brian, 5307 Ravenna Place N.E., No.6, Seattle,
    Washington 98115, (US)
  Delbene, Kurt Davis, 3201 Evergreen Point Road, Bellevue, Washington
    98004, (US)
  Tobey, Chris Edward, 6529 Second Avenue N.E., Seattle, Washington 98115,
    (US)
  Marceau, Renee, 7108 Fifth Avenue N.E., Seattle, Washington 98115, (US)
LEGAL REPRESENTATIVE:
  Patentanwalte Grunecker, Kinkeldey, Stockmair & Partner (100721),
    Maximilianstrasse 58, D-80538 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 629076 A2 941214 (Basic)
                              EP 629076 A3 960306
APPLICATION (CC, No, Date):   EP 94108538 940603;
PRIORITY (CC, No, Date): US 75434 930607
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: H04N-001/32; H04N-001/00;
ABSTRACT WORD COUNT: 242

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language   Update   Word Count

```
        CLAIMS A   (English)   EPABF2      2694
        SPEC A     (English)   EPABF2     37702
Total word count - document A           40396
Total word count - document B               0
Total word count - documents A + B      40396
```

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION Remote Access
  Description:
    Users will be able to control features of their IFAX 10 from **remote**
  locations using Windows **PC** 's connected via serial or through any PSTN
  interface using an IFAX or EFAX PC...
...Scanning From Windows allows users to scan documents to their PC using
  the IFAX Machine.
  * **Remote   Mailbox** Control allows users to browse their mailbox, view,
  print and retrieve files remotely.
  * User Administration...

6/3,K/8
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00633570
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
HANDHELD COMPUTER WITH AUTOMATIC DATA SYNCHRONIZATION WITH HOST COMPUTER
TRAGBARER   RECHNER   MIT   AUTOMATISCHER   DATENSYNCHRONISIERUNG   MIT   DEM
   HAUPTRECHNER
ORDINATEUR   PORTATIF   A   SYNCHRONISATION   AUTOMATIQUE   DE   DONNEES   AVEC
   L'ORDINATEUR CENTRAL
PATENT ASSIGNEE:
  Compaq Computer Corporation, (687792), 20555 S.H. 249, Houston Texas
    77070, (US), (applicant designated states:
    AT;BE;CH;DE;DK;ES;FR;GB;IE;IT;LI;NL;SE)
INVENTOR:
  CLARK, Ted, H., 1826 Cherry Bend, Houston, TX 77077, (US)
  MALISEWSKI, Steven, C., 12712 William Dowdell, Cypress, TX 77429, (US)
  COOPER, Patrick, R., 17011 North Ivy Circle, Houston, TX 77084, (US)
  CROSSWY, William, Caldwell, 9618 Stockport Drive, Spring, TX 77379, (US)
  CROCHET, Larry, J., 1222 Cypresswood Drive, Houston, TX 77070, (US)
LEGAL REPRESENTATIVE:
  Brunner, Michael John (28871), GILL JENNINGS & EVERY Broadgate House 7
    Eldon Street, London EC2M 7LH, (GB)
PATENT (CC, No, Kind, Date):   EP 788630   A1   970813 (Basic)
                               EP 788630   B1   990804
                               WO 9412938   940609
APPLICATION (CC, No, Date):   EP 94904810 931201; WO 93US11599 931201
PRIORITY (CC, No, Date): US 984464 921202
DESIGNATED STATES: AT; BE; CH; DE; DK; ES; FR; GB; IE; IT; LI; NL; SE
INTERNATIONAL PATENT CLASS: G06F-015/02; G06F-017/60;
NOTE:
  No A-document published by EPO
LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language   Update   Word Count
      CLAIMS B   (English)   9931   730
      CLAIMS B   (German)   9931   742
      CLAIMS B   (French)   9931   820
      SPEC B   (English)   9931   8996
Total word count - document A   0
Total word count - document B   11288
Total word count - documents A + B   11288

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION or for entry into various local area network, shared
  mailed systems such as MicroSoft Mail, **cc :MAIL** and the like.

One further module contained in the ROM 114 is a synchronization module
...636.
Thus the handheld computer H can automatically synchronize files and
data with a host **computer** when **remotely** located and continuously
synchronizes common files when directly connected to the host computer C
by...

6/3,K/9
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00467330
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Distributed messaging system and method
Verteiltes Nachrichtensystem und -verfahren
Systeme et procede de messagerie distribue
PATENT ASSIGNEE:
   Hewlett-Packard Company, (206030), 3000 Hanover Street, Palo Alto,
      California 94304, (US), (applicant designated states: DE;FR;GB)
INVENTOR:
   Quan, Suu, 772 Springfield Drive, Campbell, CA 95008, (US)
LEGAL REPRESENTATIVE:
   Schoppe, Fritz, Dipl.-Ing. (55463), Patentanwalt, P.O. Box 71 08 67,
      81458 Munchen, (DE)
PATENT (CC, No, Kind, Date):   EP 475080   A2   920318 (Basic)
                               EP 475080   A3   930113
                               EP 475080   B1   971210
APPLICATION (CC, No, Date):   EP 91113285 910808;
PRIORITY (CC, No, Date): US 577410 900904
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: G06F-009/46;
ABSTRACT WORD COUNT: 169

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	9712W1	740
CLAIMS B	(German)	9712W1	720
CLAIMS B	(French)	9712W1	754
SPEC B	(English)	9712W1	7441
Total word count - document A			0
Total word count - document B			9655
Total word count - documents A + B			9655

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION understood by all the logical network daemons in the
messaging system. All traffic originating from **remote** **computers** is
routed through logical network daemons.
   The invention includes administrative processes which oversee the
operation...a connection to a destination application process both when
the process is active on the **remote** **computer** and when the process is
not active. The connect subroutine will create and activate logical...
communications process forwards the message to the remote logical
communications process associated with the destination **computer** . The
remote logical communications process will query the appropriate
bulletin board, and will deliver the message to the remote process by
storing the message in a memory area called a **"mailbox** ". The **remote**
logical communications process will then notify the application process
(if the application process is active...

...then transmits the message through the network to the remote logical
network daemon on the **remote** **computer** as shown at a block 412. The
remote logical network daemon then delivers the message...is shown that
the source process makes a call to a destination process on a **remote**
computer . The source and destination processes then exchange
communication parameters as shown at a block 804...

...CLAIMS system (100) for communicating messages between application
    processes, the system including (1) a plurality of **computers** (136,
    138, 140) **remotely** located from each other, (2) memory means in the
    computers, (3) communication means (148, 152...

...sending messages between application processes in a distributed
    computation system that includes a plurality of **computers** (136,
    138, 140) **remotely** located from each other, communication means
    (148, 152) interconnecting the computers for carrying messages
    therebetween...

6/3,K/10
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00389778
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Emergency post office **setting for** remote **setting meter.**
Einstellung einer entfernt aufgestellten Frankiermaschine fur den Notfall.
Reglage en cas d'urgence d'une machine a timbrer a distance.
PATENT ASSIGNEE:
  NEOPOST INDUSTRIE, (1061242), 113 rue Jean-Marin Naudin, F-92220 Bagneux,
    (FR), (applicant designated states: DE;FR;GB)
INVENTOR:
  Haines, John Gregory, 5341 Golden Gate Ave., Oakland, California 94618,
    (US)
  Slaughter, Tracy Floyd, P.O. Box 1577, Grass Valley, California 95945,
    (US)
  Barker, Charles Philipp, 2050 Harvest Road, Pleasanton, California 94566,
    (US)
LEGAL REPRESENTATIVE:
  Weinmiller, Jurgen et al (12871), Lennestrasse 9 Postfach 24, D-82336
    Feldafing, (DE)
PATENT (CC, No, Kind, Date): EP 388841 A1 900926 (Basic)
                              EP 388841 B1 941026
APPLICATION (CC, No, Date): EP 90105119 900319;
PRIORITY (CC, No, Date): US 327487 890323
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: G07B-017/00;
ABSTRACT WORD COUNT: 199

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text   Language   Update   Word Count
        CLAIMS A   (English)   EPBBF1   222
        CLAIMS B   (English)   EPBBF1   238
        CLAIMS B   (German)   EPBBF1   244
        CLAIMS B   (French)   EPBBF1   277
        SPEC A   (English)   EPBBF1   3068
        SPEC B   (English)   EPBBF1   2911
Total word count - document A   3290
Total word count - document B   3670
Total word count - documents A + B   6960

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Emergency post office **setting for** remote **setting meter.**

...SPECIFICATION A1
    EMERGENCY **POST OFFICE** SETTING FOR **REMOTE** SETTING METER
  FIELD OF THE INVENTION
    The present invention relates generally to postage meters and...

...functions of printing and accounting for postage, and optional features
    such as department accounting and **remote** setting. The **microprocessor**
    is connected to a clock 20, a read only memory (ROM) 22, a random access
    ...

...SPECIFICATION functions of printing and accounting for postage, and optional features such as department accounting and **remote** setting. The **microprocessor** is connected to a clock 20, a read only memory (ROM) 22, a random access...

7/3,K/1

00958619
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Document delivery system
Dokumentenverteilungssystem
Systeme de distribution de documents
PATENT ASSIGNEE:
  Tumbleweed Software Corporation, (2408151), 2010 Broadway, Redwood City,
    California 94063, (US), (applicant designated states:
    AT;BE;CH;CY;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE)
INVENTOR:
  Smith, Jeffrey C., 1305 Altschul Avenue, Menlo Park, Cal. 94025, (US)
  Bandini, Jean-Christophe, 10230 N. Foothill Boulevard, No. E10,
    Cupertino, Cal. 95014, (US)
LEGAL REPRESENTATIVE:
  DIEHL GLAESER HILTL & PARTNER (100237), Fluggenstrasse 13, 80639
    Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 869652 A2 981007 (Basic)
APPLICATION (CC, No, Date): EP 98105986 980401;
PRIORITY (CC, No, Date): US 829976 970401; US 832784 970404
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
INTERNATIONAL PATENT CLASS: H04L-029/06; G06F-017/30; G06F-017/60;
ABSTRACT WORD COUNT: 119

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	9841	2320
SPEC A	(English)	9841	12699
Total word count - document A			15019
Total word count - document B			0
Total word count - documents A + B			15019

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION authorized users of the scheme. The encryption software may be located on the user's **computer** , or at a **remote** location. Thus, the document may be encrypted in situ, or upon transmission to another computer...

...without the secret key. Again, the decryption software may be located on the recipient's **computer** , or at a **remote** location.
  One potential problem associated with secret key encryption is the secure distribution of the...Win 3.1, Win '95, NT, Unix, OS/2), electronic mail systems (e.g. Microsoft, **cc : Mail** , Groupwise, Motes, Eudora), document types (e.g. paper, Postscript, Quark, WordPerfect, Excel), and user types...

...CLAIMS method of Claim 60, said dynamic generating step further comprising the steps of:
  forwarding a **message** to said recipient the **reading** of which retrieves a module that constructs a private/public key pair on said recipient...

7/3,K/2

00657370
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
ABSTRACT WORD COUNT: 97

FULLTEXT AVAILABILITY:
Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF2	3394
SPEC A	(English)	EPABF2	37727
Total word count - document A			41121
Total word count - document B			0
Total word count - documents A + B			41121

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION it is automatically sent, such as at nighttime when the telephone rates decrease. The facsimile **message** is **read** by the IFAX and a digital image of the message is stored in memory within...facsimile machine requiring user entry of a password into the second facsimile machine before permitting **reading** of the stored facsimile **message** .
In an alternative embodiment, the method comprises the steps of sensing user input to define...documents waiting to be transmitted (Outbox). The number of received facsimile messages and outgoing facsimile **messages** is **updated** on the touch-sensitive display 24.
Selection of the Toolbox option by touching the Toolbox...a password to be entered into the recipient facsimile machine for the facsimile recipient to **read** the facsimile **message** . Thus, there are varying degrees of security that may be easily selected by the user...the outbox 72. The main menu shown in the screen display of Figure 3 is **updated** whenever a facsimile **message** is placed in the inbox 70 or the outbox 72 so that the user may...the sender's Digital Certificate and use it to decrypt the message.
If the incoming **message** is a G3 **Message** , **check** to see if it has an IFAX OMR cover page. If so, obtain the addressing...an open issue).
Relay Stations can also be Polled for the transmission status of Relay **Messages** . See the **Check** Relay Status section of the Polled Fax Retrieve feature.
For more information on Fax Relay...Remote Access
Description:
Users will be able to control features of their IFAX 10 from **remote** locations using Windows **PC** 's connected via serial or through any PSTN interface using an IFAX or EFAX PC...

...Scanning From Windows allows users to scan documents to their PC using the IFAX Machine.
*   **Remote   Mailbox** Control allows users to browse their mailbox, view, print and retrieve files remotely.
*   User Administration...List shows the names of each the mailbox owners and the current status, number of **read** /unread **messages** , percentage capacity ramaining, etc.
*   File List shows a public and/or private breakdown of all...

...CLAIMS second facsimile machine, said password command indicating to
    said second facsimile machine that said facsimile **message** requires
    password authentication to **read** said facsimile **message** ;
    (d) at said second facsimile machine, receiving said facsimile message
    and storing said facsimile message...

...facsimile machine;
    (g) comparing said user entered password with said password command;
    and
    (h) permitting **reading** of said stored facsimile **message** only if
    said user-entered password matches said password command.
67. A method in a...

7/3,K/3
DIALOG(R)File 348:European Patents

00657368
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
ABSTRACT WORD COUNT: 222

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF2	1221
SPEC A	(English)	EPABF2	37434
Total word count - document A			38655
Total word count - document B			0
Total word count - documents A + B			38655

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION it is automatically sent, such as at nighttime when the
telephone rates decrease. The facsimile **message** is **read** by the IFAX
and a digital image of the message is stored in memory within...documents
waiting to be transmitted (Outbox). The number of received facsimile
messages and outgoing facsimile **messages** is **updated** on the
touch-sensitive display 24.
   Selection of ...a password to be entered into the recipient facsimile
machine for the facsimile recipient to **read** the facsimile **message** .
Thus, there are varying degrees of security that may be easily selected
by the user...the outbox 72. The main menu shown in the screen display of
Figure 3 is **updated** whenever a facsimile **message** is placed in the
inbox 70 or the outbox 72 so that the user may...the sender's Digital
Certificate and use if to decrypt the message.
   If the incoming **message** is a G3 **Message** , **check** to see if it has
an IFAX OMR cover page. If so, obtain the addressing...an open issue).
   Relay Stations can also be Polled for the transmission status of Relay
Messages . See the **Check** Relay Status section of the Polled Fax
Retrieve feature.
   For more information on Fax Relay...Remote Access
Description:
   Users will be able to control features of their IFAX 10 from **remote**
locations using Windows **PC** 's connected via serial or through any PSTN
interface using an IFAX or EFAX PC their PC using the IFAX Machine.
   * **Remote Mailbox** Control allows users to browse their mailbox, view,
print and retrieve files remotely.
   * User Administration...List shows the names of each the mailbox owners
and the current status, number of **read** /unread **messages** , percentage
capacity remaining, etc.
   * File List shows a public and/or private breakdown of all...

7/3,K/4
DIALOG(R)File 348:European Patents

00655517
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
An electronic mail system having integrated voice messages
Elektronisches Mitteilungssystem mit integrierten Sprachnachrichten
Systeme de courrier electronique ayant des messages vocaux integres
PATENT ASSIGNEE:
   VMX INC., (1659190), 2115 O'Nel Drive, San Jose, California 95131, (US),
      (applicant designated states: AT;BE;CH;DE;FR;GB;IT;LI;LU;NL;SE)
INVENTOR:
   Hyde-Thomson, Henry C.A., c/o VMX,Inc., 2115 O'Nel Drive, San Jose, CA
      95131, (US)
LEGAL REPRESENTATIVE:
   Schmidt, Steffen J., Dipl.-Ing. (70552), Wuesthoff & Wuesthoff, Patent-
      und Rechtsanwalte, Schweigerstrasse 2, D-81541 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 631419 A1 941228 (Basic)
                              EP 631419 B1 960327
APPLICATION (CC, No, Date): EP 94101406 940131;

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF2	810
CLAIMS B	(English)	EPAB96	881
CLAIMS B	(German)	EPAB96	846
CLAIMS B	(French)	EPAB96	1095
SPEC A	(English)	EPABF2	8480
SPEC B	(English)	EPAB96	9303
Total word count - document A			9291
Total word count - document B			12125
Total word count - documents A + B			21416

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION The two most common LAN based E-mail systems are Microsoft
Mail(TM) and Lotus **cc :Mail** (TM). Microsoft(TM) supports a set of APIs
called Messaging Application Program Interface (MAPI) and...E-mail
systems.
    Figure 9 is a flowchart showing the steps for saving and deleting
messages and marking **messages** as **read** With MAPI E-mail systems.
    Figure 10 is a flowchart showing the steps for replying...

...the mailbox of the caller using the VIM (Vender Independent Messaging)
APIs supported by Lotus **cc :Mail** .
    Figure 12 is a flowchart showing the steps for message playback of
new messages with...

...type E-mail system.
    Figure 15 is a flowchart showing the steps for marking as **read** and
deleting **messages** for a VIM type E-mail system.
    Figure 16 is a flowchart showing the steps...called extension
number.
    An E-mail software package, such as Microsoft Mail(TM) or Lotus **cc :
Mail** (TM), is installed on the PCs 107-109 and on the voice gateway PC
103...

...products; and "Vendor Independent Messaging" (VIM) promoted by Lotus and
others for interfacing to Lotus **cc :Mail** (TM) and other VIM compliant
e-mail products. Table 1 below lists the MAPI and...the session, step
809.
    Figure 9 is a flowchart showing the steps for marking as **read** ,
saving, and deleting **messages** . Initially, the caller instructs the
computer system to either mark a **message** as **read** , save a **message** ,
or delete a message, step 901. A call is made to the MAPILogon subroutine
with...

...s instruction, step 903. A call is made to the MAPIReadMail subroutine
for marking the **messages** as **read** . The MAPISaveMail subroutine is
utilized for saving a message. The MAPIDeleteMail subroutine is used for
...is a known user, or to 1406 if it is not. In step 1412, the **cc :Mail**
Import utility is used with the administrator password to create message
from Caller or equivalent...

...to the recipients mailbox.
    Figure 15 is a flowchart showing the steps for marking as **read** and
deleting **messages** for a VIM type E-mail system. In step 1501, the
caller issues instructions to mark a **message** as **read** or to delete a
message . The VIMOpenMessageContainer subroutine is used to open the
Inbox of the caller, step 1502. One...

...the instructions issued by the caller, step 1503. If the user wishes to
mark a **message** as **read** , a call is made to the VIMMarkMessageAsRead

subroutine. If the caller wishes to delete a...system. That is, commercially available E-mail systems such as Microsoft Mail(TM) and Lotus **cc** :**Mail** (TM) support the ability to send E-mail systems to users located on different LANs...

...SPECIFICATION The two most common LAN based E-mail systems are Microsoft Mail(TM) and Lotus **cc** :**Mail** (TM). Microsoft(TM) supports a set of APIs called Messaging Application Program Interface (MAPI) and ...E-mail systems.
Figure 9 is a flowchart showing the steps for saving and deleting **messages** and marking **messages** as **read** With MAPI E-mail systems.
Figure 10 is a flowchart showing the steps for replying...

...the mailbox of the caller using the VIM (Vender Independent Messaging) APIs supported by Lotus **cc** :**Mail** .
Figure 12 is a flowchart showing the steps for message playback of new messages with...

...type E-mail system.
Figure 15 is a flowchart showing the steps for marking as **read** and deleting **messages** for a VIM type E-mail system.
Figure 16 is a flowchart showing the steps TM) or Lotus **cc** :**Mail** (TM), is installed on the PCs 107-109 and on the voice gateway PC 103...

...products; and "Vendor Independent Messaging" (VIM) promoted by Lotus and others for interfacing to Lotus **cc** :**Mail** (TM) and other VIM compliant e-mail products. Table 1 below lists the MAPI and...the session, step 809.
Figure 9 is a flowchart showing the steps for marking as **read** , saving, and deleting **messages** . Initially, the caller instructs the computer system to either mark a **message** as **read** , save a **message** , or delete a message, step 901. A call is made to the MAPILogon subroutine with...

...s instruction, step 903. A call is made to the MAPIReadMail subroutine for marking the **messages** as **read** . The MAPISaveMail subroutine is utilized for saving a message. The MAPIDeleteMail subroutine is used for ...is a known user, or to 1406 if it is not. In step 1412, the **cc** : **Mail** Import utility is used with the administrator password to create message from Caller or equivalent...to the recipients mailbox.
Figure 15 is a flowchart showing the steps for marking as **read** and deleting **messages** for a VIM type E-mail system. In step 1501, the caller issues instructions to mark a **message** as **read** or to delete a **message** . The VIMOpenMessageContainer subroutine is used to open the Inbox of the caller, step 1502. One...

...the instructions issued by the caller, step 1503. If the user wishes to mark a **message** as **read** , a call is made to the VIMMarkMessageAsRead subroutine. If the caller wishes to delete a...system. That is, commercially available E-mail systems such as Microsoft Mail(TM) and Lotus **cc** :**Mail** (TM) support the ability to send E-mail systems to users located on different LANs...

...CLAIMS trunk lines connected to said switching system in order to connect to said voice gateway **computer** for providing **remote** telephone access for entering commands from a remote telephone; a data server computer coupled to...

...CLAIMS 112) connected to said switching system (102) in order to connect to said voice gateway **computer** (103) for providing **remote** telephone access for entering commands from a remote telephone; a data server computer (106, 106b...

00653247
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Intelligent facsimile user interface and method of use.
Intelligente Faksimile-Benutzerschnittstelle und Verwendungsverfahren.
Interface de telecopieur intelligent pour utilisateur et procede
  d'utilisation.
PATENT ASSIGNEE:
  MICROSOFT CORPORATION, (749861), One Microsoft Way, Redmond, Washington
    98052-6399, (US), (applicant designated states: DE;FR;GB)
INVENTOR:
  Reifman, Jeffrey Brian, 5307 Ravenna Place N.E., No. 6, Seattle,
    Washington 98115, (US)
  Delbene, Kurt Davis, 3201 Evergreen Point Road, Bellevue, Washington
    98004, (US)
  Tobey, Chris Edward, 6529 Second Avenue N.E., Seattle, Washington 98115,
    (US)
  Marceau, Renee, 7108 Fifth Avenue N.E., Seattle, Washington 98115, (US)
LEGAL REPRESENTATIVE:
  Patentanwalte Grunecker, Kinkeldey, Stockmair & Partner (100721),
    Maximilianstrasse 58, D-80538 Munchen, (DE)
PATENT (CC, No, Kind, Date):   EP 629077 A2 941214 (Basic)
                               EP 629077 A3 960410
APPLICATION (CC, No, Date):   EP 94108551 940603;
PRIORITY (CC, No, Date): US 73511 930607
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: H04N-001/32; H04N-001/00;
ABSTRACT WORD COUNT: 300

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text   Language   Update   Word Count
     CLAIMS A   (English)   EPABF2   3913
     SPEC A   (English)   EPABF2   37815
Total word count - document A   41728
Total word count - document B   0
Total word count - documents A + B   41728

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...ABSTRACT data to another facsimile machine. The IFAX uses a storage
  location for storing outgoing facsimile **messages** . The IFAX
  periodically **check** the storage location to determine if more than one
  facsimile message is to be transmitted...

...SPECIFICATION it is automatically sent, such as at nighttime when the
  telephone rates decrease. The facsimile **message** is **read** by the IFAX
  and a digital image of the message is stored in memory within...documents
  waiting to be transmitted (Outbox). The number of received facsimile
  messages and outgoing facsimile **messages** is **updated** on the
  touch-sensitive display 24.
    Selection of the Toolbox option by touching the Toolbox...a password to
  be entered into the recipient facsimile machine for the facsimile
  recipient to **read** the facsimile **message** . Thus, there are varying
  degrees of security that may be easily selected by the user...the outbox
  72. The main menu shown in the screen display of Figure 3 is **updated**
  whenever a facsimile **message** is placed in the inbox 70 or the outbox 72
  so that the user may...the sender's Digital Certificate and use it to
  decrypt the message.
    If the incoming **message** is a G3 **Message** , **check** to see if it has
  an IFAX OMR cover page. If so, obtain the addressing...an open issue).
    Relay Stations can also be Polled for the transmission status of Relay
 Messages . See the **Check** Relay Status section of the Polled Fax
  Retrieve feature.
    For more information on Fax Relay...Remote Access
  Description:
    Users will be able to control features of their IFAX 10 from **remote**
  locations using Windows **PC** 's connected via serial or through any PSTN
  interface using an IFAX or EFAX PC...

...Scanning From Windows allows users to scan documents to their PC using the IFAX Machine.
   * **Remote Mailbox** Control allows users to browse their mailbox, view, print and retrieve files remotely.
   * User Administration...List shows the names of each the mailbox owners and the current status, number of **read** /unread **messages** , percentage capacity remaining, etc.
   * File List shows a public and/or private breakdown of all...

7/3,K/6
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00653245
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Facsimile user interface and method of use.
Faksimile-Benutzerschnittstelle und Verwendungsverfahren.
Interface de telecopieur pour utilisateur et procede d'utilisation.
PATENT ASSIGNEE:
  MICROSOFT CORPORATION, (749861), One Microsoft Way, Redmond, Washington
    98052-6399, (US), (applicant designated states: DE;FR;GB)
INVENTOR:
  Reifman, Jeffrey Brian, 5307 Ravenna Place N.E., No.6, Seattle,
    Washington 98115, (US)
  Delbene, Kurt Davis, 3201 Evergreen Point Road, Bellevue, Washington
    98004, (US)
  Tobey, Chris Edward, 6529 Second Avenue N.E., Seattle, Washington 98115,
    (US)
  Marceau, Renee, 7108 Fifth Avenue N.E., Seattle, Washington 98115, (US)
LEGAL REPRESENTATIVE:
  Patentanwalte Grunecker, Kinkeldey, Stockmair & Partner (100721),
    Maximilianstrasse 58, D-80538 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 629076 A2 941214 (Basic)
                              EP 629076 A3 960306
APPLICATION (CC, No, Date):   EP 94108538 940603;
PRIORITY (CC, No, Date): US 75434 930607
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: H04N-001/32; H04N-001/00;
ABSTRACT WORD COUNT: 242

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text   Language   Update   Word Count
     CLAIMS A   (English)   EPABF2   2694
     SPEC A   (English)   EPABF2   37702
Total word count - document A   40396
Total word count - document B   0
Total word count - documents A + B   40396

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION it is automatically sent, such as at nighttime when the telephone rates decrease. The facsimile **message** is **read** by the IFAX and a digital image of the message is stored in memory within...documents waiting to be transmitted (Outbox). The number of received facsimile messages and outgoing facsimile **messages** is **updated** on the touch-sensitive display 24.
   Selection of the Toolbox option by touching the Toolbox...a password to be entered into the recipient facsimile machine for the facsimile recipient to **read** the facsimile **message** . Thus, there are varying degrees of security that may be easily selected by the user...the outbox 72. The main menu shown in the screen display of Figure 3 is **updated** whenever a facsimile **message** is placed in the inbox 70 or the outbox 72 so that the user may...the sender's Digital Certificate and use it to decrypt the message.
   If the incoming **message** is a G3 **Message** , **check** to see if it has

an IFAX OMR cover page. If so, obtain the addressing...an open issue).
   Relay Stations can also be Polled for the transmission status of Relay
Messages . See the **Check** Relay Status section of the Polled Fax
 Retrieve feature.
   For more information on Fax Relay...Remote Access
Description:
   Users will be able to control features of their IFAX 10 from **remote**
locations using Windows **PC** 's connected via serial or through any PSTN
interface using an IFAX or EFAX PC...

...Scanning From Windows allows users to scan documents to their PC using
the IFAX Machine.
* **Remote   Mailbox** Control allows users to browse their mailbox, view,
print and retrieve files remotely.
* User Administration...List shows the names of each the mailbox owners
and the current status, number of **read** /unread **messages** , percentage
capacity remaining, etc.
* File List shows a public and/or private breakdown of all...

7/3,K/7
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00633570
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
HANDHELD COMPUTER WITH AUTOMATIC DATA SYNCHRONIZATION WITH HOST COMPUTER
TRAGBARER   RECHNER   MIT   AUTOMATISCHER   DATENSYNCHRONISIERUNG   MIT   DEM
   HAUPTRECHNER
ORDINATEUR   PORTATIF   A   SYNCHRONISATION   AUTOMATIQUE   DE   DONNEES   AVEC
   L'ORDINATEUR CENTRAL
PATENT ASSIGNEE:
   Compaq Computer Corporation, (687792), 20555 S.H. 249, Houston Texas
      77070, (US), (applicant designated states:
      AT;BE;CH;DE;DK;ES;FR;GB;IE;IT;LI;NL;SE)
INVENTOR:
   CLARK, Ted, H., 1826 Cherry Bend, Houston, TX 77077, (US)
   MALISEWSKI, Steven, C., 12712 William Dowdell, Cypress, TX 77429, (US)
   COOPER, Patrick, R., 17011 North Ivy Circle, Houston, TX 77084, (US)
   CROSSWY, William, Caldwell, 9618 Stockport Drive, Spring, TX 77379, (US)
   CROCHET, Larry, J., 1222 Cypresswood Drive, Houston, TX 77070, (US)
LEGAL REPRESENTATIVE:
   Brunner, Michael John (28871), GILL JENNINGS & EVERY Broadgate House 7
      Eldon Street, London EC2M 7LH, (GB)
PATENT (CC, No, Kind, Date):   EP 788630   A1   970813 (Basic)
                               EP 788630   B1   990804
                               WO 9412938   940609
APPLICATION (CC, No, Date):   EP 94904810 931201; WO 93US11599 931201
PRIORITY (CC, No, Date): US 984464 921202
DESIGNATED STATES: AT; BE; CH; DE; DK; ES; FR; GB; IE; IT; LI; NL; SE
INTERNATIONAL PATENT CLASS: G06F-015/02; G06F-017/60;
NOTE:
   No A-document published by EPO
LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	9931	730
CLAIMS B	(German)	9931	742
CLAIMS B	(French)	9931	820
SPEC B	(English)	9931	8996
Total word count - document A			0
Total word count - document B			11288
Total word count - documents A + B			11288

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION or for entry into various local area network, shared
   mailed systems such as MicroSoft Mail, **cc** :**MAIL** and the like.

One further module contained in the ROM 114 is a synchronization module
...or wide area, mail system accessed by the host computer to allow the
user to **update** and **check** any mail **messages** . This mode is
preferably an interactive mode so that the user can actually perform E...

...set and to step 610 for a return to the calling sequence.
   Miscellaneous file and **directory** **synchronization** such as that
necessary for the notebook files, for word processors, for spreadsheets
and so...636.
   Thus the handheld computer H can automatically synchronize files and
data with a host **computer** when **remotely** located and continuously
synchronizes common files when directly connected to the host computer C
by...

7/3,K/8
DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

00467330
ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348
Distributed messaging system and method
Verteiltes Nachrichtensystem und -verfahren
Systeme et procede de messagerie distribue
PATENT ASSIGNEE:
   Hewlett-Packard Company, (206030), 3000 Hanover Street, Palo Alto,
      California 94304, (US), (applicant designated states: DE;FR;GB)
INVENTOR:
   Quan, Suu, 772 Springfield Drive, Campbell, CA 95008, (US)
LEGAL REPRESENTATIVE:
   Schoppe, Fritz, Dipl.-Ing. (55463), Patentanwalt, P.O. Box 71 08 67,
      81458 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 475080 A2 920318 (Basic)
                              EP 475080 A3 930113
                              EP 475080 B1 971210
APPLICATION (CC, No, Date):   EP 91113285 910808;
PRIORITY (CC, No, Date): US 577410 900904
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: G06F-009/46;
ABSTRACT WORD COUNT: 169

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	9712W1	740
CLAIMS B	(German)	9712W1	720
CLAIMS B	(French)	9712W1	754
SPEC B	(English)	9712W1	7441
Total word count - document A			0
Total word count - document B			9655
Total word count - documents A + B			9655

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

...SPECIFICATION FIFO) basis. This means that the first message to arrive
at the destination must be **read** before **messages** which arrived later
in time.

   Therefore, it is not possible, for example, to retrieve the...

...want to read together. Lastly, in a pipes system, messages are deleted
after they are **read** . The **messages** cannot therefore be referred back
to at a later time. The aforementioned drawbacks limit the...

...very important to users because it allows messages to be saved until a
user is **ready** to retrieve the **message** . This lack of versatility makes
ISIS less desirable to use.
   ISIS was also built to...and delivery of messages, the notification of

error conditions, and the manner in which received **messages** can be stored and **read** . The invention operates in a fully distributed manner; the failure of one computer or process...process is operating.

Broadcasting is an electronic communications technique in which the source sends a **message** that all communicating entities **read** , i.e., the **message** is not addressed for delivery to a particular destination. Thus, in the present invention, when...

...understood by all the logical network daemons in the messaging system. All traffic originating from **remote** **computers** is routed through logical network daemons.

The invention includes administrative processes which oversee the operation...the various computers can, if requested by the destination, signal the application process that a **message** is waiting to be **read** . The application process that has been activated and whose status has been broadcast may also...

...a connection to a destination application process both when the process is active on the **remote** **computer** and when the process is not active. The connect subroutine will create and activate logical...communications process forwards the message to the remote logical communications process associated with the destination **computer** . The **remote** logical communications process will query the appropriate bulletin board, and will deliver the message to the remote process by storing the message in a memory area called a **"mailbox** ". The **remote** logical communications process will then notify the application process (if the application process is active...

...then transmits the message through the network to the remote logical network daemon on the **remote** **computer** as shown at a block 412. The remote logical network daemon then delivers the message...

...served basis (i.e., the message which arrived first in the mailbox will be the **message** which is first **read** by the application process), or based on message type, which can be configured by the...sent in broadcast form, all logical administrative daemons (one on each computer) will receive and **read** the broadcast **message** as is indicated at a block 606. These logical administrative daemons will then update their...

...is shown that the source process makes a call to a destination process on a **remote** **computer** . The source and destination processes then exchange communication parameters as shown at a block 804...sends a message to the local daemon for transmission across the network. The local daemon **checks** the **message** length as shown at a block 906 and performs a test on the length. If...

...the primary channel.

Once the message is sent to the remote daemon, the remote daemon **checks** the **message** type as shown at a block 918. If the message received by the remote daemon...

...CLAIMS system (100) for communicating messages between application processes, the system including (1) a plurality of **computers** (136, 138, 140) **remotely** located from each other, (2) memory means in the computers, (3) communication means (148, 152...

...message to the computer in which the addressee process is located as soon as the **message** is **ready** for sending and store the message at the location until the addressee process becomes active...

...sending messages between application processes in a distributed computation system that includes a plurality of **computers** (136, 138, 140) **remotely** located from each other, communication means (148, 152) interconnecting the computers for carrying messages therebetween...

...message to the computer in which the addressee process is located as soon as the **message** is **ready** for sending, storing the **message** at that location until the addressee process is **ready** to receive the **message** , and delivering the message when the addressee process

is ready to receive it.

9. A...

?

```
File   15:ABI/INFORM(R) 1971-2000/Jan 26
          (c) 2000 Bell & Howell
File    9:Business & Industry(R) Jul/1994-2000/Jan 27
          (c) 2000 Resp. DB Svcs.
File 647:CMP  Computer Fulltext 1988-2000/Jan W3
          (c) 2000 CMP
File 674:Computer News Fulltext 1989-2000/Jan W3
          (c) 2000 IDG Communications
File 275:Gale Group Computer DB(TM) 1983-2000/Jan 27
          (c) 2000 The Gale Group
File   98:General Sci Abs/Full-Text 1984-1999/Oct
          (c) 1999 The HW Wilson Co.
File 621:Gale Group New Prod.Annou.(R) 1985-2000/Jan 27
          (c) 2000 The Gale Group
File 484:Periodical Abstracts Plustext 1986-1999/Nov W3
          (c) 1999 Bell & Howell
File   16:Gale Group PROMT(R) 1990-2000/Jan 27
          (c) 2000 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
          (c) 1999 The Gale Group
File 141:Readers Guide 1983-1999/Jul
          (c) 1999 The HW Wilson Co
File 370:Science 1996-1999/Jul W3
          (c) 1999 AAAS
File 148:Gale Group Trade & Industry DB 1976-2000/Jan 27
          (c)2000 The Gale Group
File 553:Wilson Bus. Abs. FullText 1982-1999/Sep
          (c) 1999 The HW Wilson Co
```

Set	Items	Description
S1	27753	(READ? OR CHECK? OR UPDAT?) (N4) (MESSAG?)
S2	3029	DIRECTORY?(N)SYNCHRONIZ?
S3	29895	(OFFSITE? OR OFF()SITE? OR REMOTE?) (N3) (PC OR PERSONAL?(-)COMPUTER? OR COMPUTER? OR MICROPROCESSOR?)
S4	26358	MOBILE?(N2)DEVICE? OR HANDHELD?(N)DEVICE?
S5	22985	CC()MAIL? OR CCMAIL? OR REMOTE(N2)POST()OFFICE? OR REMOTE(-N2)MAILBOX? OR OFFSITE(N2)POST()OFFICE? OR OFFSITE?(N)MAILBOX?
S6	854	S5 AND (S3 OR S4)
S7	123	S6 AND (S1 OR S2)
S8	147	S5(S)(S3 OR S4)
S9	1	S8 (S) (S1 OR S2)
S10	44	S6(S) (S1 OR S2)
S11	21	S8 AND (S1 OR S2)
S12	33	RD S10 (unique items)
S13	32	S12 NOT PY=1999:2000
S14	18	RD S11 (unique items)
S15	18	S14 NOT PY=1999:2000

?

Managing the mail-strom
Anonymous

...TEXT: other E-mail networks, fax servers, and communications resources. cc:Mail even lets you perform **directory synchronizations** with E-mail systems from other vendors.

cc:Mail's security features are also noteworthy... you configure users individually or as groups, specifying whether they have the ability to delete, **read** , or send **messages** , whether they can send mail to external post offices, and whether they can send messages...

...of import and cut-and-paste operations and attached an external file. We printed the **message** , **checking** for printer controls and the capability to print attachments.

We then tested how easy it...worksheet into a message. We could set the program's spelling checker to automatically spell **check** every **message** we sent. (In addition to the included American English dictionary, dictionaries for British English, French...server to add users to the GMHS system before adding them to BeyondMail. Scheduling automatic **directory synchronizations** of multiple post offices is not so easy, either. It's handled by GMHS on... easy to move users and their messages across post offices. cc:Mail can even conduct **directory synchronizations** with foreign E-mail systems.

cc:Mail gives administrators a great deal of information about...

... once the post offices were properly linked through a dedicated message server, all directories and **message** databases were **updated** incrementally, with no need to schedule updates. That decreases administrative chores, but it also leaves...

...but not as easy as those in cc:Mail).

And the program's hands-off **directory synchronization** is certainly easy to manage. You can perform synchronizations with several major flavors of E ... t need to deal with the vagaries of MHS or GMHS. Although Microsoft Mail's **directory synchronization** is not as easy to configure as cc:Mail's, the process is simpler than...

...and checked to make sure the addition was made to the other.

Having established automatic **directory synchronization** , we attempted to move a user and his or her messages from one post office...

... to create two types of remote installations: full-time or part-time. A full-time **remote** user's **mailbox** exists only on the **remote** **PC** , and messages are exchanged only when the remote unit calls in to the network. A part-time **remote** user's **mailbox** exists on the network, which lets the user connect remotely to the network E-mail...

...can also set up a user with mailboxes both on the network and on the **remote** **PC** . You can even configure the program to route incoming messages to the network mailbox and forward specified messages to the **remote** **mailbox** when the user calls in. This option results in a lot of duplicate messages, however...

... connect to the host. And you can even schedule Mobile to perform unattended exchanges of **messages** and directory **updates** .

Mobile offers the same easy-to-use interface as the network version of the program...

... there are no provisions for automatically synchronizing directories on remote installations. Instead, users must request **directory synchronizations** . In truth, some users prefer this arrangement, since it means their systems aren't unexpectedly...

... up connections for communication with the network. We also examined the provisions for handling future **directory synchronizations** and for exchanging messages, noting in particular whether the program allowed users to view and...administrator's time.

To receive a score of satisfactory, the program had to support automatic **directory synchronization** , let us set a password for accessing the program, and provide a tool for recompacting...

... of modem connections and transferring a batch of messages by phone. Products that supported automatic **directory synchronizations** upon connection earned a higher score, as did those that let us defer **directory synchronizations** and schedule

15/3,K/2   (Item 2 from file: 15)
DIALOG(R)File 15:ABI/INFORM(R)
(c) 2000 Bell & Howell. All rts. reserv.

00823689 94-73081
cc:Mail Mobile for Windows is a first-class mail upgrade
Capen, Tracey
InfoWorld v16n7 PP: 98 Feb 14, 1994
ISSN: 0199-6649 JRNL CODE: IFW
WORD COUNT: 969

...TEXT: systems is not nearly as easy as it should be, partly because of the way **cc :Mail** Mobile handles LAN and dial-up communications. When you launch the application, a start-up...

... have the messages you have received while out of the office and stored on your **remote PC** . Whichever you pick, you cannot switch to the other without closing **cc :Mail** Mobile and restarting. This would not be a big problem if it were not for the way that **cc :Mail** Mobile copies messages between your remote and home accounts.

If you want to move messages...

... Mail Mobile would dial my home post office when I launched the application and then **check** for **messages** every hour.
Overall, cc:Mail Mobile is infinitely better than the DOS version and is...

15/3,K/3   (Item 1 from file: 9)
DIALOG(R)File   9:Business & Industry(R)
(c) 2000 Resp. DB Svcs. All rts. reserv.

01058004 (USE FORMAT 7 OR 9 FOR FULLTEXT)
MobileWare Worth a Look
(MobileWare communications software for portable computers sends faxes, manages e-mail, and is able to transfer files)
CommunicationsWeek, n 525, p 8
October 03, 1994
DOCUMENT TYPE: Journal ISSN: 0748-8121 (United States)
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 1329

(USE FORMAT 7 OR 9 FOR FULLTEXT)

TEXT:

...do the same thing with a basket full of products such as Symantec
Corp.'s **PC** /Anywhere **remote** -control software, Lotus' own **cc** :**Mail**
Mobile Windows client and Delrina Corp.'s WinFax-Pro software?

If you already have this...that creates the MobileWare Comm Server (these
are the NLMs and various agents that transfer **messages** and faxes, along
with **updated** files from Novell to make them work properly); the Cheyenne
fax software, and the Lotus...

15/3,K/4   (Item 1 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

01028631   CMP ACCESSION NUMBER: CWK19941003S0025
MobileWare Worth a Look (Product Testing)
DAVID STROM
COMMUNICATIONSWEEK, 1994, n 525, PG8
PUBLICATION DATE: 941003
JOURNAL CODE: CWK   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Top of the News
WORD COUNT: 1334

...   do the same thing with a basket full of products such as Symantec
Corp.'s **PC** /Anywhere **remote** -control software, Lotus' own **cc** :**Mail**
Mobile Windows client and Delrina Corp.'s WinFaxPro software?
     If you already have this configuration...that creates the MobileWare
Comm Server (these are the NLMs and various agents that transfer **messages**
 and faxes, along with **updated** files from Novell to make them work
properly); the Cheyenne fax software, and the Lotus...

15/3,K/5   (Item 2 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

01022154   CMP ACCESSION NUMBER: WIN19940601S1885
Mobile Mail Keeps Remote Users in the Loop (E-Mail Software)
Hailey Lynne McKerry
WINDOWS MAGAZINE, 1994, n 506 , 076
PUBLICATION DATE: 940601
JOURNAL CODE: WIN   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: New Products

TEXT:
...   receive messages over a wide area network, modem, LAN or via a
wireless connection with **cc** :**Mail** Mobile for Windows 2.0. This portable
version of the LAN-based e-mail system...

...location, from among such protocols as IPX/SPX (NetWare), TCP/IP (UNIX)
and X.25. **cc** :**Mail** Mobile also supports connections via ISDN, PBX,
direct connection, RAM Mobile Data, cellular and landline...

...about incoming messages, such as estimated transmission time, subject,
priority, author, size and attachment names. **cc** :**Mail** Mobile offers
built-in support for reconciliation when switching between LAN and remote
operation. It...

...the computer on departure from the LAN and resynchronizes your LAN
mailbox when you reconnect. **cc** : **Mail** Mobile 2.0 Price: $195 Contact:
Lotus Development Corp., 800-448- 2500, 415-961-8800...

...bars, dialog boxes, resizable windows and the ability to select your
own fonts. The Speed **Read** function automatically tags new **messages** and
displays the first message upon sign in. You can display incoming and out-
going...

...Frequent UNIX e-mail users can read and respond to their mail off-line and **off** - **site** with **PC** or laptop using Portable Mail for Windows. The software can download UNIX mail files so...

...messages in mail folders. All off-line actions are automatically reconciled. You can create a **remote post office** on any Windows computer, then transfer files with transfer software or via a diskette. You...

...modems), and lets you send and receive faxes through electronic mail packages, such as Lotus **cc** :**Mail** , Microsoft Mail or any MHS e-mail package. FaxWorks Pro LAN Price: Two -user pack...sent via popular e-mail messaging protocols, such as MAPI (Microsoft Mail), VIM (Lotus's **cc** : **Mail** and Notes) and CMC . The fuzzy logic global search capability can find information even if...

15/3,K/6 **(Item 3 from file: 647)**
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00540438 CMP ACCESSION NUMBER: CWK19930329S4368
Remote E-Mail Speeds Sales Operations
JEFFREY SCHWARTZ
COMMUNICATIONSWEEK, 1993, n 447, 11
PUBLICATION DATE: 930329
JOURNAL CODE: CWK LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Network Applications
WORD COUNT: 501

The paper-goods supplier has equipped its 156-person sales force with laptop **computers** and a **remote** version of Beyond Inc.'s BeyondMail , which runs under Microsoft Corp.'s Windows 3.1...

...forms-routing tool, which can be used to automate the flow of documents to users' **mailboxes** .
Remote E-mail is particularly helpful in keeping traveling sales personnel up to date at Fort...

...the calendaring application, Lee said. In the case of OnTime, the calendar automatically would be **updated** by **message** reply.
Those upgrades should be available next month, Lee said, who added that both Novell...

15/3,K/7 **(Item 4 from file: 647)**
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00520961 CMP ACCESSION NUMBER: NWC19921201S0196
Microsoft Mail v3.0 - Cross-Platform Interoperability-Not A Major Design Goal
Barry Gerber
NETWORK COMPUTING, 1992, n 314 , 104
PUBLICATION DATE: 921201
JOURNAL CODE: NWC LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Features
WORD COUNT: 3802

... margins and the ability to emphasize text across platforms and to address fully and reply **readily** to **messages** .
Almost as disturbing as the limited number of cross-platform features is the inconsistent implementation...a long shot, but it is usable. It is very much like that offered by **cc** :**Mail** . Unlike the **cc** : **Mail** remote program, however, the DOS remote mail client lets the user

copy as well as move mail from the common mail store to the **remote computer** .
There is no Macintosh remote client, though one could use a remote shell with the...
...the Windows and OS/2 versions, margins vary with the width of the Compose or **Read** window. A **message** composed using the default proportional type font in Windows or OS/2 is likely to...

 15/3,K/8   (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01728252   SUPPLIER NUMBER: 16439711   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Networking from afar. (guide to remote connections technology) (Tutorial)
Wong, William
Computer Shopper, v15, n3, p590(4)
March, 1995
DOCUMENT TYPE: Tutorial   ISSN: 0886-0556   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 4029   LINE COUNT: 00299

...ABSTRACT: in a simple remote mail gateway such as the remote options for Microsoft Mail or **cc :Mail** . Subscribing to a commercial online service is another way to provide remote E-mail, but can be costly. Remote-control programs allow off-site users to take control of a **remote PC** as if it were their own, uploading and downloading files and controlling the **remote   computer** 's screen and keyboard. The two main remote access technologies are remote control, which controls a 'host' PC from a **remote** 'client' and is especially useful for remote management, configuration and troubleshooting, and remote node, which turns the **remote computer** into a full network peer. Working with remote-node tools usually requires the intervention of...
...   convenience. You rarely find that you can't connect anytime, anywhere you want to, and **message   updating** is often as quick or quicker than on any internal mail gateway. Combine such remote...

 15/3,K/9   (Item 2 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01671891   SUPPLIER NUMBER: 15071395   (USE FORMAT 7 OR 9 FOR FULL TEXT)
The E-mail personae. (Software Review) (overview of eight evaluations of electronic mail software)(includes related articles on Editors' Choice, highlights, Suitability to Task ratings) (Evaluation)
Ayre, Rick; Stevenson, Ted
PC Magazine, v13, n7, p251(25)
April 12, 1994
DOCUMENT TYPE: Evaluation   ISSN: 0888-8507   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 4022   LINE COUNT: 00316

...   remote programs we tested were at least usable, and the best, the Microsoft Mail for **PC** Networks **remote** client (new since our last roundup), was a joy to use. The brand new **cc :Mail** Mobile for Windows, with both an asynchronous option and an asynchronous wireless option, has moved light years ahead of **cc :Mail** 's old DOS-only remote package--though it still falls short of Microsoft Mail for **PC** Networks' **remote** client.
     ADMINISTRATOR NEWS: BETTER, BUT . . .
     Considerably less progress has taken place in the administrator's... off automation--through rules, in BeyondMail's case. Microsoft Mail for PC Networks provides automatic **directory   synchronization** but--believe it or not--no way for the administrator to prune the mail of...of the interface. Users can, for example, indicate whether they want the package to spell-**check   messages** automatically as they are composed.
     cc:Mail's new remote client, cc:Mail Mobile for...package should offer

easy-to-use and centralized administration utilities, as well as scheduling of **directory   synchronization** , backups, and other tasks. We also look for packages that provide a high level of...

 15/3,K/10   (Item 3 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01444708   SUPPLIER NUMBER: 11071317   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Let's talk, LAN to LAN. (Local Area Network Links)(Applications Focus)
(Software Buyer's Guide) (tutorial)**
PC Sources, v2, n8, p435(1)
August, 1991
DOCUMENT TYPE: tutorial   ISSN: 1052-6579   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 876   LINE COUNT: 00066

...   these more complex communications links, e-mail gateways let you do
everything from sending electronic **messages** to **updating** database files.
      Installation of LAN links takes careful planning and consideration of
factors such as...

...in the base package, so you have to buy it separately.
      The MHS gateway for **cc :Mail** lists for $1,295; Office Works' MHS
gateway has a list price of $695. Higgins...

...e-mail between multiple servers on a single LAN, between separate LANs,
between LANs and **remote   computers** , and between Higgins and gateways to
other electronic mail systems. To run it, you also...

 15/3,K/11   (Item 4 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01242187   SUPPLIER NUMBER: 06567905   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**E-Mail arrives - part 2. (Higgins Mail, The Network Courier, cc:Mail)
(Software Review) (evaluation)**
King, Steven S.
PC Tech Journal, v6, n5, p118(11)
May, 1988
DOCUMENT TYPE: evaluation   ISSN: 0738-0194   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 6957   LINE COUNT: 00550

...   Higgins Remote, which runs on stand-alone or laptop computers.
Higgins Remote can support five **mailboxes** on a **remote   PC** , allowing
multiple users on one site to share a single copy of the product. Oddly...
parameter settings, can be printed from report printing menus.
      An end-of-month reporting procedure **checks** the integrity of its
message base, reindexes files when necessary, and resets the monthly
statistics counters. One administrative function conspicuously...

...products by recording the history of each message routed through more
than one user. While **reading** an incoming mail **message** , a user can pop
up a history window displaying where the message originated and the...Mail,
LISTEN, is an 85KB TSR program that runs as a background process in a
remote mail user's **PC** . LISTEN monitors the COM port for calls from
another **remote** user or **post -office** mail server. When a call is
received, a background transfer of mail takes place. This...all users
access to a single cc:Mail mailbox, which is problematic, or by manually
readdressing the mail **messages** based on the embedded name.
      The Network Courier PROFS gateway is more developed than the...
supports up to 100 bulletin board with 500 messages each. Local users can
post and **read** bulletin-board **messages** , but remote users can only post
them--this is intentional. Only the administrator can delete...

...should delete unnecessary messages to conserve LAN disk space. If users do not delete the **messages** they have **read** , the administrator's reports will reflect that.

A cc:Mail program called NOTIFY alerts a...

15/3,K/12   (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)

02784942   Supplier Number: 43736685 (USE FORMAT 7 FOR FULLTEXT)
Remote E-Mail Speeds Sales Operations
CommunicationsWeek, p11
March 29, 1993
Language: English   Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 497

...   mail network.
    The paper-goods supplier has equipped its 156-person sales force with laptop **computers** and a **remote** version of Beyond Inc.'s BeyondMail, which runs under Microsoft Corp.'s Windows 3.1...

...forms-routing tool, which can be used to automate the flow of documents to users' **mailboxes** .
    Remote E-mail is particularly helpful in keeping traveling sales personnel up to date at Fort...

...the calendaring application, Lee said. In the case of OnTime, the calendar automatically would be **updated** by **message** reply.
    Those upgrades should be available next month, Lee said, who added that both Novell...

15/3,K/13   (Item 2 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)

02626476   Supplier Number: 43495018 (USE FORMAT 7 FOR FULLTEXT)
CROSS-PLATFORM INTEROPERABILITY - NOT A MAJOR DESIGN GOAL: Microsoft Mail v3.0
Network Computing, p117
Dec, 1992
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 3806

...   margins and the ability to emphasize text across platforms and to address fully and reply **readily** to **messages** .
    Almost as disturbing as the limited number of cross-platform features is the inconsistent implementation...a long shot, but it is usable. It is very much like that offered by **cc :Mail** . Unlike the **cc :Mail** remote program, however, the DOS remote mail client lets the user copy as well as move mail from the common mail store to the **remote** **computer** .
    There is no Macintosh remote client, though one could use a remote shell with the...

...the Windows and OS/2 versions, margins vary with the width of the Compose or **Read** window. A **message** composed using the default proportional type font in Windows or OS/2 is likely to...

15/3,K/14   (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB

09648143   SUPPLIER NUMBER: 18422718   (USE FORMAT 7 OR 9 FOR FULL TEXT)
The universal mailbox arrives ... sort of. (unified messaging)

...   can exist simultaneously on both the Notes server and the Intuity
server. When a user **reads** or listens to the **message** on one server, it
is automatically marked as "read" on the other server. To save...

...home, they can call the Intuity server and use a Touch-Tone phone to
control **message** retrieval. Email can be **read** aloud by a synthesized
voice and faxes can be redirected to a convenient fax machine...it would
take the synthesized voice to read them. If they don't want the **messages**
faxed or **read** , they can postpone handling till they can access their
mailbox from a computer screen.
     Basically...support Web browsers such as Netscape Navigator. This
will allows messaging users to reach their **mailboxes** from any **remote**
computer that has Web access, by entering a Web address and then typing in
their user...

15/3,K/15   (Item 2 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

08010891   SUPPLIER NUMBER: 16945958   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Prototype e-mail ware draws mixed reviews. (Lotus' cc:Web Server)
Semilof, Margie
CommunicationsWeek, n553, p15(2)
April 17, 1995

ABSTRACT: Lotus is developing a remote access package that would allow
users of its **cc :Mail** e-mail system to access their mail via the
Internet. The prototype for the application...

...concept of an Internet-based e-mail connection, which would eliminate
the need for laptop **computers** and **remote** access software. Other users
were concerned that the product moves in the opposite direction of...
...   vendor previewed a prototype technology, called the cc:Web Server,
that lets E-mail users **check** their **messages** using the Internet without
requiring a laptop computer and, by extension, cc:Mail client software...

15/3,K/16   (Item 3 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

07570965   SUPPLIER NUMBER: 16255965   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Managing the mail-strom. (evaluation of five E-mail packages) (includes
 related articles on evaluation summary, testing methodology, E-mail
 usability, E-mail speed) (Software Review) (Evaluation)**
Marshall, Patrick; Young, Tom
InfoWorld, v16, n46, p142(14)
Nov 14, 1994

...   other E-mail networks, fax servers, and communications resources.
cc:Mail even lets you perform **directory** **synchronizations** with E-mail
systems from other vendors.
     cc:Mail's security features are also noteworthy...you configure users
individually or as groups, specifying whether they have the ability to
delete, **read** , or send **messages** , whether they can send mail to external
post offices, and whether they can send messages...worksheet into a

message. We could set the program's spelling checker to automatically
spell-**check** every **message** we sent. (In addition to the included
American English dictionary, dictionaries for British English, French...
server to add users to the GMHS system before adding them to BeyondMail.
Scheduling automatic **directory** **synchronizations** of multiple post
offices is not so easy, either. It's handled by GMHS on...

...easy to move users and their messages across post offices. cc:Mail can
even conduct **directory** **synchronizations** with foreign E-mail systems.
    cc:Mail gives administrators a great deal of information about...once
the post offices were properly linked through a dedicated message server,
all directories and **message** databases were **updated** incrementally, with
no need to schedule updates. That decreases administrative chores, but it
also leaves...

...but not as easy as those in cc:Mail). And the program's hands-off
directory **synchronization** is certainly easy to manage. You can perform
synchronizations with several major flavors of E...

...t need to deal with the vagaries of MHS or GMHS. Although Microsoft
Mail's **directory** **synchronization** is not as easy to configure as
cc:Mail's, the process is simpler than...to create two types of remote
installations: full-time or part-time. A full-time **remote** user's **mailbox**
 exists only on the **remote** PC , and messages are exchanged only when the
remote unit calls in to the network. A part-time **remote** user's **mailbox**
exists on the network, which lets the user connect remotely to the network
E-mail...

...can also set up a user with mailboxes both on the network and on the
remote PC . You can even configure the program to route incoming messages
to the network mailbox and forward specified messages to the **remote**
mailbox when the user calls in. This option results in a lot of duplicate
messages, however...

...connect to the host. And you can even schedule Mobile to perform
unattended exchanges of **messages** and directory **updates** .
    Mobile offers the same easy-to-use interface as the network version of
the program...there are no provisions for automatically synchronizing
directories on remote installations. Instead, users must request **directory**
 synchronizations . In truth, some users prefer this arrangement, since it
means their systems aren't unexpectedly...87.50 BeyondMail provides a
central administration utility but limited system statistics. Configuring
GMHS for **directory** **synchronization** of multiple post offices is
difficult, as is moving users between post offices.
    Remote client (75) Satisfactory 37.50 Remote package runs over remote
versions of MHS. It lacks automatic **directory** **synchronization** and
doesn't let users scan headers. Program lets users connect remotely or
directly to...security features. Also, DaVinci eMail relies on
hard-to-work-with MHS or GMHS for **directory** **synchronization** and system
information.
    Remote client (75) Satisfactory 37.50 DaVinci eMail's remote program
runs over remote MHS and lacks both automatic **directory** **synchronization**
and header scanning.
    Connectivity (75) Good 46.87 DaVinci eMail is available for the
Macintosh...of import and cut-and-paste operations and attached an external
file. We printed the **message** , **checking** for printer controls and the
capability to print attachments.
    We then tested how easy it...and checked to make sure the addition was
made to the other.
    Having established automatic **directory** **synchronization** , we
attempted to move a user and his or her messages from one post office...

...up connections for communicating with the network. We also examined the
provisions for handling future **directory** **synchronizations** and for
exchanging messages, noting in particular whether the program allowed users
to view and...administrator's time.
    To receive a score of satisfactory, the program had to support
automatic **directory** **synchronization** , let us set a password for

accessing the program, and provide a tool for recompacting...
...of modem connections and transferring a batch of messages by phone.
Products that supported automatic **directory   synchronizations** upon
connection earned a higher score, as did those that let us defer **directory
synchronizations** and schedule unattended connections. If a product let
us connect our computer to the E...

15/3,K/17   (Item 4 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

06447582   SUPPLIER NUMBER: 13779085   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Turn your e-mail into groupware. (Cover Story)
The, Lee
Datamation, v39, n8, p28(4)
April 15, 1993
DOCUMENT TYPE: Cover Story   ISSN: 1062-8363   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1581   LINE COUNT: 00124

...   will it be good enough to justify deferring the move into groupware
at present?
        Lotus **cc :Mail** user Mansour Taher Zadeh chooses to wait. He is
director of MIS/networking for Pizza...

...which comprises more than 2,000 restaurants in 60 countries. His
operation started rolling out **cc :Mail** in January 1991. Since then,
Pizza Hut has implemented it on close to 480 computers at headquarters in
Wichita, Kan., with **remote** links to **computers** in 20 regional offices in
the United States and abroad. Zadeh says more than 1,000 machines will have
cc :Mail by year's end.
        The standard machine is a 386 Pc with 6 to 8...Microsoft Mall, which
he says comes with gateways that provide a larger pipeline plus automatic
directory   synchronization .
        Some question how universal the need for scheduling is in
corporations. Lisiak estimates that 50...

15/3,K/18   (Item 5 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

01882330   SUPPLIER NUMBER: 02992324   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Options in electronic mail.
Panko, Raymond R.
Office Administration and Automation, v44, p50(7)
Nov, 1983
ISSN: 0745-4325   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 2938   LINE COUNT: 00237

...   The most costly way to handle IMPS is to use dumb terminals to
access a **remote   mailbox   computer** via a long-distance time-sharing
network.
        Although the host computer's cost is no...

...400--representing only a few cents per message), the cost of
long-distance transmission during **message** creation and **reading** , in
contrast, may average several dollars per message. Quite simply, using a
remote host for...

...than postage. The only way to handle IPMS at reasonable cost is to make
the **message** preparation and **reading** functions local operations.
        The real cost problem is, and will continue to be, terminals. A...
?t 13/3,k/1-32

13/3,K/1   (Item 1 from file: 15)
DIALOG(R)File 15:ABI/INFORM(R)

...TEXT: forced to wait until the task is completed before you regain
control of the application.

  cc :Mail Mobile offers the fewest mailmanagement features. You can set
up folders in your out-box, then drag and drop files into them for
storage--but that's about it. Also, **cc :Mail** automatically downloads
your incoming messages to your hard drive, while QuickMail and FirstClass
keep them stored on the remote server. While **cc :Mail** Mobile's method
reduces server storage requirements, it also makes it difficult to maintain
one consistent in- box--the **messages** you **read** while traveling will
reside on your PowerBook in-box, for instance, and mail received while...

  13/3,K/2   **(Item 2 from file: 15)**
DIALOG(R)File 15:ABI/INFORM(R)

...TEXT: likely to want to perform.

The package's connectivity is topnotch. Lotus offers versions of **cc :Mail**
 for Windows, DOS, Macintosh, OS/2, and Unix systems. The company also
offers an exceptionally broad array of gateways for linking **cc :Mail** to
other E-mail networks, fax servers, and communications resources. **cc :**
 Mail even lets you perform **directory synchronizations** with E-mail
systems from other vendors.

cc:Mail's security features are also noteworthy...new utility also deletes
out-of-date accounts, a capability the Import/Export utility lacks. **cc :**
 Mail 's centralized administration utility also makes it easy to move
users and their messages across post offices. **cc :Mail** can even conduct
 directory synchronizations with foreign E-mail systems.
cc:Mail gives administrators a great deal of information about...

...but not as easy as those in cc:Mail).

And the program's hands-off **directory synchronization** is certainly easy
to manage. You can perform synchronizations with several major flavors of
E-mail-- **cc :Mail** , MHS, Profs, Message Router, and SNADS--and with other
GroupWise post offices.

Some tasks, such... t need to deal with the vagaries of MHS or GMHS.
Although Microsoft Mail's **directory synchronization** is not as easy to
configure as **cc : Mail** 's, the process is simpler than with the other
programs we examined. The major difficulties...connection alternatives not
offered by most of the competition.

For example, you can set up **cc :Mail** Mobile to automatically process
directory updates when you connect to the host. And you can even schedule
Mobile to perform unattended exchanges of **messages** and directory **updates**
.

Mobile offers the same easy-to-use interface as the network version of the

program...

13/3,K/3   (Item 3 from file: 15)
DIALOG(R)File   15:ABI/INFORM(R)

00848357 94-97749
Considering mobile users' mail needs
Marshak, David
Network World v11n9 PP: 38 Feb 28, 1994
ISSN: 0887-7661 JRNL CODE: NWW
WORD COUNT: 355

...TEXT: of the E-mail package tailored by the vendor to run on laptops and
other **mobile** computing **devices** . The better packages, such as Microsoft
Corp.'s Mail Remote, allow users to dial in...

... a laptops hard drive, then accessing it off-line (such as aboard an
aircraft) to **read** stored **messages** and compose responses. Users can then
upload new E- mail when they next connect to...

13/3,K/4   (Item 4 from file: 15)
DIALOG(R)File   15:ABI/INFORM(R)

00823689 94-73081
cc:Mail Mobile for Windows is a first-class mail upgrade
Capen, Tracey
InfoWorld v16n7 PP: 98 Feb 14, 1994
ISSN: 0199-6649 JRNL CODE: IFW
WORD COUNT: 969

...TEXT: modem, ISDN, X.25, network, wireless, and others), and calling
card numbers.

Another nicely designed **cc :Mail** Mobile feature is message scheduling.
The Schedule menu lets you automatically send and receive messages when you
start **cc :Mail** Mobile, when you close it, or at set intervals. It took
very little time to set up my notebook so that **cc :Mail** Mobile would
dial my home post office when I launched the application and then **check**
for **messages** every hour.

Overall, cc:Mail Mobile is infinitely better than the DOS version and is...

13/3,K/5   (Item 1 from file: 9)
DIALOG(R)File   9:Business & Industry(R)

01058004 (USE FORMAT 7 OR 9 FOR FULLTEXT)
MobileWare Worth a Look
(MobileWare communications software for portable computers sends faxes,
 manages e-mail, and is able to transfer files)
CommunicationsWeek, n 525, p 8
October 03, 1994
DOCUMENT TYPE: Journal ISSN: 0748-8121   (United States)
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 1329

 (USE FORMAT 7 OR 9 FOR FULLTEXT)

TEXT:
...that creates the MobileWare Comm Server (these are the NLMs and various
agents that transfer **messages** and faxes, along with **updated** files from
Novell to make them work properly); the Cheyenne fax software, and the
Lotus **cc :Mail** post office.

The MobileWare documentation is fairly solid and is very specific on what
default...

13/3,K/6   (Item 1 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

01028631   CMP ACCESSION NUMBER: CWK19941003S0025
MobileWare Worth a Look   (Product Testing)
DAVID STROM
COMMUNICATIONSWEEK, 1994, n 525, PG8
PUBLICATION DATE: 941003
JOURNAL CODE: CWK   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Top of the News
WORD COUNT: 1334

...   that creates the MobileWare Comm Server (these are the NLMs and
various agents that transfer **messages** and faxes, along with **updated**
files from Novell to make them work properly); the Cheyenne fax software,
and the Lotus **cc :Mail** post office.
      The MobileWare documentation is fairly solid and is very specific on
what default...

13/3,K/7   (Item 2 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

01022154   CMP ACCESSION NUMBER: WIN19940601S1885
Mobile Mail Keeps Remote Users in the Loop (E-Mail Software)
Hailey Lynne McKerry
WINDOWS MAGAZINE, 1994, n 506 , 076
PUBLICATION DATE: 940601
JOURNAL CODE: WIN   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: New Products

TEXT:
...   receive messages over a wide area network, modem, LAN or via a
wireless connection with **cc :Mail** Mobile for Windows 2.0. This portable
version of the LAN-based e-mail system...

...location, from among such protocols as IPX/SPX (NetWare), TCP/IP (UNIX)
and X.25. **cc :Mail** Mobile also supports connections via ISDN, PBX,
direct connection, RAM Mobile Data, cellular and landline...

...about incoming messages, such as estimated transmission time, subject,
priority, author, size and attachment names. **cc :Mail** Mobile offers
built-in support for reconciliation when switching between LAN and remote
operation. It...

...the computer on departure from the LAN and resynchronizes your LAN
mailbox when you reconnect. **cc : Mail** Mobile 2.0 Price: $195 Contact:
Lotus Development Corp., 800-448- 2500, 415-961-8800...

...bars, dialog boxes, resizable windows and the ability to select your
own fonts. The Speed **Read** function automatically tags new **messages** and
displays the first message upon sign in. You can display incoming and out-
going...

...Frequent UNIX e-mail users can read and respond to their mail off-line
and **off - site** with **PC** or laptop using Portable Mail for Windows. The
software can download UNIX mail files so...

...messages in mail folders. All off-line actions are automatically

reconciled. You can create a **remote   post   office** on any Windows
computer, then transfer files with transfer software or via a diskette.
You...

...modems), and lets you send and receive faxes through electronic mail
packages, such as Lotus **cc :Mail** , Microsoft Mail or any MHS e-mail
package. FaxWorks Pro LAN Price: Two -user pack...sent via popular e-mail
messaging protocols, such as MAPI (Microsoft Mail), VIM (Lotus's **cc :**
Mail and Notes) and CMC . The fuzzy logic global search capability can
find information even if...

13/3,K/8   (Item 3 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00546287   CMP ACCESSION NUMBER: NWC19930705S4645
Telecommuting via ISDN: Out of Sight, Not Out of Range
Bruce Robertson
NETWORK COMPUTING, 1993, n 407, 134
PUBLICATION DATE: 930705
JOURNAL CODE: NWC   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Workshops
WORD COUNT: 2328

...   to the office Ethernet, except when returning very large query
result sets. The LAN-based **cc :Mail** user agent on Macintosh, DOS and
Windows was affected most by the speed of the link. Because the **cc :Mail**
 client application accesses the post office file server often to **read**
messages , using **cc :Mail** was significantly slower than at the office.
However, it was not so slow that it...

13/3,K/9   (Item 4 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00541835   CMP ACCESSION NUMBER: VAR19931101S0181
Varshopper (Varshopper)
Frank Hertz
VARBUSINESS, 1993, n 917 , 143
PUBLICATION DATE: 931101
JOURNAL CODE: VAR   LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Products
WORD COUNT: 5257

...   AMERICA INC.
   Highlights: MOSAIC WORKS Directory Services 1.0 is a powerful new
electronic mail **directory   synchronization** product line that helps
network administrators maintain a common e-mail directory across most
Macintosh, PC and Unix-based LANs. In addition, MOSAIC WORKS Directory
Agents will offer support for **cc :Mail** Microsoft Mail, Novell's Message
Handling Service, the Unix E-mail SendMail utility and Hitachi...

13/3,K/10   (Item 1 from file: 674)
DIALOG(R)File 674:Computer News Fulltext
(c) 2000 IDG Communications. All rts. reserv.

028747
Isobridge makes dial-up X.400 access affordable
Byline: Timothy O'Brien, West Coast Bureau Chief
Journal: Network World   Page Number: 27
Publication Date: February 15, 1993
Word Count: 571   Line Count: 41

Text:
...2K bit/sec. The product lets administrators schedule specific times for sending directory updates, concentrate **updates** into a single **message** and forward error messages to a remote administrator, among other things. **CC Mail** Router 4.0 will be available later this month for $1,295.
    Lotus' cc:Mail...

...the gateway costs $7,995.
    Version 2.0 of Lotus' High Fidelity Mail Exchange supports **directory synchronization** between Notes and **cc :Mail** and lets users transfer messages and documents between Notes and **cc :Mail** without losing special formatting and fonts within those documents. The gateway, which shipped in November, transfers a Notes compound document as a **cc :Mail** message with multiple attachments.

13/3,K/11   (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01801879   SUPPLIER NUMBER: 17053754   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Connecting classrooms: school is more than a place! (What Every Teacher Needs to Know About Technology, part 5)(includes related articles about networking terms, the Internet and telecom addresses)
Dyrli, Odvard Egil; Kinnaman, Daniel E.
Technology & Learning, v15, n8, p82(7)
May 15, 1995
ISSN: 1053-6728   LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 4354   LINE COUNT: 00364

...   and rec (recreational topics). Newsgroups are like giant bulletin boards that require special software to **read** and post **messages** , and they are not available from every Internet service provider. Unlike discussion groups, you do not "subscribe" to newsgroups, and posted messages are not sent to your **mailbox** directly.
    2. **Remote** Log-in (using the Internet command, TELNET, to log in to a distant computer, just...

13/3,K/12   (Item 2 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01719591   SUPPLIER NUMBER: 16301883   (USE FORMAT 7 OR 9 FOR FULL TEXT)
The primer. (Mobile Computing)
Larry, Seltzer; Smith, Gregory; Venditto, Gus; Frezza, Bill; Butner, Richard
Windows Sources, v3, n1, p56(8)
Jan, 1995
ISSN: 1065-9641   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 4552   LINE COUNT: 00364

...   to the LAN before leaving the office and duplicate your in-box. Products like Lotus **cc :Mail** Mobile have a Dock option. Before you leave the office, "dock" your notebook to the...

...it synchronizes your notebook in-box with your desktop in-box so you know which **messages** you've already **read** and which are new.
    Another way to update e-mail databases is to replicate them...

13/3,K/13   (Item 3 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01671891   SUPPLIER NUMBER: 15071395   (USE FORMAT 7 OR 9 FOR FULL TEXT)
The E-mail personae. (Software Review) (overview of eight evaluations of

electronic mail software)(includes related articles on Editors' Choice,
 highlights, Suitability to Task ratings) (Evaluation)
Ayre, Rick; Stevenson, Ted
PC Magazine, v13, n7, p251(25)
April 12, 1994
DOCUMENT TYPE: Evaluation   ISSN: 0888-8507   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 4022   LINE COUNT: 00316

...   off automation--through rules, in BeyondMail's case. Microsoft Mail
for PC Networks provides automatic **directory synchronization**
but--believe it or not--no way for the administrator to prune the mail of
Windows-client users (who are enabled to store mail locally). **cc :Mail** 's
administration program allows batch automation of routine tasks, and
special technology makes it possible...

 13/3,K/14   (Item 4 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01670986   SUPPLIER NUMBER: 15056173   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**The unwired nation. (overview of wireless services and equipment) (includes
 related articles on glossary; personal digital assistants; wireless
 success; E-Mail applications; wireless costs; wireless services; best
 wireless solutions; WinPad) (Cover Story)**
Devoney, Chris
Windows Sources, v2, n4, p106(16)
April, 1994
DOCUMENT TYPE: Cover Story   ISSN: 1065-9641   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 8361   LINE COUNT: 00654

...   with rival remote e-mail packages. And though it lacks the
sophisticated location profiling of **cc :Mail** , it can update your list of
e-mail addresses while you're on-line, ensuring...

...directory. It can also retrieve only message headers, allowing you to
pick and choose which **message** to **read** , and will even let you retrieve
entire message folders from the mail server while you...

 13/3,K/15   (Item 5 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01630887   SUPPLIER NUMBER: 14657778   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Remote possibilities: remote access: new Novell, Stampede offerings expand
 market. (Novell Inc.'s NetWare Connect 1.0 NetWare Loadable Module
 dial-up software router and Stampede Technologies Inc.'s Remote Office
 1.1 remote-access software bridge) (includes related summary of
 evaluation) (Software Review) (PC Week LABS Review)(PCWEEK Netweek)
 (Evaluation)**
Tam, Terry
PC Week, v10, n51, pN1(3)
Dec 27, 1993
DOCUMENT TYPE: Evaluation   ISSN: 0740-1604   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1643   LINE COUNT: 00137

...   each product to perform a series of tasks, such as opening Lotus
Development Corp.'s **cc :Mail** and then **reading messages** , sending
messages , and receiving messages with and without file attachments.
      Stampede's Remote Office also came out...

 13/3,K/16   (Item 6 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)

01594651   SUPPLIER NUMBER: 13717289   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**The Windows Sources catalog. (catalog to software packages in seven
categories) (Buyers Guide)**
Dennis, Kathryn
Windows Sources, v1, n4, p495(15)
May, 1993
DOCUMENT TYPE: Buyers Guide   ISSN: 1065-9641   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 11017   LINE COUNT: 00951

...   8886 $495-$1,495 (5-20 users)
    Requires: 2MB RAM, 2MB hard disk space Allows **cc** : **Mail** and **cc** :
Mail remote users to route/retrieve completed forms through existing
LAN-based e-mail system. Users...

...recipients have copy of form, or data-and-forms-as-text-message where
test-only **message** can be **ready** by e-mail user.
    Isomail 400
    ISOCOR 310-476-2671 Fax: 310-472-1055 $40...

13/3,K/17   (Item 7 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)

01420673   SUPPLIER NUMBER: 10381919   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Lotus Notes: major upgrade, host of new features broaden target customer
base for group communications software. (Lotus Notes 2.0 office
automation software) (product announcement)**
EDGE: Work-Group Computing Report, v2, n39, p16(1)
Feb 18, 1991
DOCUMENT TYPE: product announcement   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 1208   LINE COUNT: 00101

...   of connectivity: electronic mail and wide-area communications,"
said Larry Moore. "With the acquisition of **cc :Mail** , our combined
customer bases can turn to Lotus for a complete solution to LAN-based
electronic messaging. Our customers will first see a well-architected mail
gateway between Notes and **cc :Mail** followed closely by a suite of
administrative capabilities that will automatically **synchronize
directory** services between the two products and, further out, begin to
unify the user interfaces."
    Lotus...

13/3,K/18   (Item 8 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)

01386341   SUPPLIER NUMBER: 09710115   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Remote control: run your office pc from home. (Business)(includes related
article on tips on working from a home office)**
O'Malley, Christopher
PC Sources, v1, n12, p176(5)
Dec, 1990
ISSN: 1052-6579   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2504   LINE COUNT: 00184

...   home PC, where he has copies of both programs, and checks for
e-mail through **cc :Mail** , the network **messaging** software. He can
checks his phone **messages** , too, using a system called TNT that enables a
receptionist to put messages onto the...

13/3,K/19   (Item 9 from file: 275)

01242187   SUPPLIER NUMBER: 06567905   (USE FORMAT 7 OR 9 FOR FULL TEXT)
E-Mail arrives - part 2. (Higgins Mail, The Network Courier, cc:Mail)
 (Software Review) (evaluation)
King, Steven S.
PC Tech Journal, v6, n5, p118(11)
May, 1988
DOCUMENT TYPE: evaluation   ISSN: 0738-0194   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 6957   LINE COUNT: 00550

...   remote mail user; it runs on a stand-alone PC with modem.
     A PROFS gateway, **cc :Mail** PROFSlink, allows **cc :Mail** users to
exchange messages with PROFS users. The messages can have spreadsheets,
documents, and other...

...attached. The current version of this product allows the entry of PROFS
user names in **cc :Mail** name directories, but not vice versa. **cc :Mail**
users are represented by one account name on the PROFS system. All mail
sent from...

...account is routed through the PROFS gateway and deposited in a single
mailbox of the **cc :Mail** post office. Messages for individual **cc :Mail**
users must have the intended recipient's name embedded in the text. These
messages are distributed either by giving all users access to a single **cc
:Mail** mailbox, which is problematic, or by manually **readdressing** the
mail **messages** based on the embedded name.
     The Network Courier PROFS gateway is more developed than the...

...ceiling on the number of bytes in a message.
     Among the most noteworthy features of **cc :Mail** is its ability to
create bulletin boards and mailing lists. The mail administrator assigns
topics to the bulletin boards, which are made available for user messages.
 cc :Mail supports up to 100 bulletin board with 500 messages each. Local
users can post and **read** bulletin-board **messages** , but remote users can
only post them--this is intentional. Only the administrator can delete...

...for a key word or phrase, a date range, or the sender's name.
     The **cc :Mail** status window reminds the user how many messages are
active, stored on bulletion boards, and...

...should delete unnecessary messages to conserve LAN disk space. If users
do not delete the **messages** they have **read** , the administrator's reports
will reflect that.
     A cc:Mail program called NOTIFY alerts a...

 13/3,K/20   (Item 10 from file: 275)

01239663   SUPPLIER NUMBER: 06282978   (USE FORMAT 7 OR 9 FOR FULL TEXT)
E-mail arrives. (Third-party E-mail products help manage connectivity
 applications)
King, Steven S.
PC Tech Journal, v6, n4, p106(12)
April, 1988
ISSN: 0738-0194   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 6856   LINE COUNT: 00542

...   among many local post offices, remote post offices, and remote
users.
     Remote mail-user program. **Remote**   **PC** users who ae not on a LAN run
a program that allows them to compose...

...LAN mal user: full-screen editor, user name directory, and

mail-management functions. When mail **messages** and attachments are **ready**
for sending, a modem transfer is performed with the post office via the
mail server...

13/3,K/21   (Item 1 from file: 621)
DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2000 The Gale Group. All rts. reserv.

01700694   Supplier Number: 50273909 (USE FORMAT 7 FOR FULLTEXT)
Callisto Software Announces Orbiter 2.0 for Mobile Systems Management
PR Newswire, p831CGM023
August 31, 1998
Language: English   Record Type: Fulltext
Article Type: Article
Document Type: Newswire; Trade
Word Count: 931

...   uses an existing mobile communications infrastructure (TCP/IP,
Microsoft Exchange, Lotus Notes Mail, or Lotus **cc :Mail**) efficiently and
intelligently. Communication is optimized for low bandwidth, unreliable
connections via **message** queuing, compression, **checkpoint** -restart, and
"delta technology" which transfers only changed information.
     "We are very excited about the...

13/3,K/22   (Item 2 from file: 621)
DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2000 The Gale Group. All rts. reserv.

01209135   Supplier Number: 43561618 (USE FORMAT 7 FOR FULLTEXT)
Lotus Ships cc:Mail Remote for Macintosh Version 2.0
News Release, p1
Jan 4, 1993
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 1010

...   messages containing text, graphics,
     sound, file attachments and facsimiles. In contrast to the IAN
     version, **cc :Mail** Remote lets users prepare and **read** **messages**
 offline,
     on a airplane or in a hotel room, for example. Once a message has...

13/3,K/23   (Item 1 from file: 484)
DIALOG(R)File 484:Periodical Abstracts Plustext
(c) 1999 Bell & Howell. All rts. reserv.

02413770   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Part 5: Connecting classrooms: School is more than a place!
Dyrli, Odvard Egil; Kinnaman, Daniel E
Technology & Learning (GCCL), v15 n8, p82-88
 May 1995
 ISSN: 1053-6728   JOURNAL CODE: GCCL
 DOCUMENT TYPE: Feature
 LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 4181   LENGTH: Long (31+ col inches)

TEXT:
...   and rec (recreational topics). Newsgroups are like giant bulletin
boards that require special software to **read** and post **messages** , and
they are not available from every Internet service provider. Unlike
discussion groups, you do not "subscribe" to newsgroups, and posted
messages are not sent to your **mailbox** directly.
     2. **Remote** Log-in (using the Internet command, TELNET, to log in to a
distant computer, just...

13/3,K/24   (Item 1 from file: 16)
DIALOG(R)File   16:Gale Group PROMT(R)

02918191   Supplier Number: 43941815   (USE FORMAT 7 FOR FULLTEXT)
Telecommuting via ISDN: Out of Sight, Not Out of Range
Network Computing, p134
July, 1993
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 2393

...   to the office Ethernet, except when returning very large query
result sets. The LAN-based **cc :Mail** user agent on Macintosh, DOS and
Windows was affected most by the speed of the link. Because the **cc :Mail**
client application accesses the post office file server often to **read**
messages , using **cc :Mail** was significantly slower than at the office.
However, it was not so slow that it...

13/3,K/25   (Item 2 from file: 16)
DIALOG(R)File   16:Gale Group PROMT(R)

02827730   Supplier Number: 43801632   (USE FORMAT 7 FOR FULLTEXT)
PRODUCT NEWS
Network Week, n70, pN/A
April 30, 1993
Language: English   Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 390

...   versions. The Token Ring version costs GBP5750.
     Lotus Development has launched version 2.0 of **cc :Mail** Remote for
Macintosh. This is based on the LAN version of **cc :Mail** for Macintosh
2.0 and lets users send and receive messages containing text, graphics,
sound, file attachments and faxes. Unlike the LAN version, **cc :Mail**
Remote enables **messages** to be prepared and **read** offline and then stored
in the outbox for later transmission. The product costs GBP215 per...

13/3,K/26   (Item 1 from file: 141)
DIALOG(R)File 141:Readers Guide

03575420   H.W. WILSON RECORD NUMBER: BRGA97075420   (USE FORMAT 7 FOR
FULLTEXT)
On the road.
Fortune (Fortune) special issue (Winter '98) p. 96-8+
WORD COUNT: 5133

   (USE FORMAT 7 FOR FULLTEXT)

TEXT:
...   software programs beyond the CE applications: a simple fax utility
and a program that lets **cc :Mail** users **read** and write **messages** from
the unit. Casio is trying to make the transition to CE 2.0 a...

13/3,K/27   (Item 2 from file: 141)
DIALOG(R)File 141:Readers Guide

03012576   H.W. WILSON RECORD NUMBER: BRGA95012576   (USE FORMAT 7 FOR
FULLTEXT)
Windows 95.
Fox, Steve.; Glitman, Russell.

PC World (PC World) v. 12 (Nov. '94) p. 138-41+
WORD COUNT: 4812

   (USE FORMAT 7 FOR FULLTEXT)

TEXT:
...   downloadable files, an FTP tool to transfer those files, a telnet
tool to log into **remote   computers** , and a news **reader** to browse
messages from Usenet discussion groups. You may also want an IRC client
to participate in the...

   13/3,K/28   (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

09616773   SUPPLIER NUMBER: 19611627   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**The right call: A new era of messaging.(White Paper on Lotus' Telephony
 OneStop) (Company Business and Marketing)**
Computer Reseller News, n745, p89(3)
July 14, 1997
ISSN: 0893-8377   LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 3100   LINE COUNT: 00253

...   manner.
     Working remotely via laptop:A project leader traveling abroad logs in
remotely to her **cc :Mail** account and sees all her messages from the rest
of the team-E-mail, fax and voice-displayed on the screen. She **reads** the
E-mail **messages** , views the faxes, and plays back messages on her
soundcard-enabled PC. She can then...

   13/3,K/29   (Item 2 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

08010891   SUPPLIER NUMBER: 16945958   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Prototype e-mail ware draws mixed reviews. (Lotus' cc:Web Server)
Semilof, Margie
CommunicationsWeek, n553, p15(2)
April 17, 1995
ISSN: 0746-8121   LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 688   LINE COUNT: 00054

...   vendor previewed a prototype technology, called the cc:Web Server,
that lets E-mail users **check** their **messages** using the Internet without
requiring a laptop computer and, by extension, **cc :Mail** client software.
Mobile users typically connect to corporate E-mail networks using
remote-mail software...

   13/3,K/30   (Item 3 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

07570965   SUPPLIER NUMBER: 16255965   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Managing the mail-strom. (evaluation of five E-mail packages) (includes
 related articles on evaluation summary, testing methodology, E-mail
 usability, E-mail speed) (Software Review) (Evaluation)**
Marshall, Patrick; Young, Tom
InfoWorld, v16, n46, p142(14)
Nov 14, 1994
DOCUMENT TYPE: Evaluation   ISSN: 0199-6649   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 18987   LINE COUNT: 01492

...   to want to perform.
     The package's connectivity is top-notch. Lotus offers versions of **cc**

:Mail for Windows, DOS, Macintosh, OS/2, and Unix systems. The company also offers an exceptionally broad array of gateways for linking **cc :Mail** to other E-mail networks, fax servers, and communications resources. **cc : Mail** even lets you perform **directory synchronizations** with E-mail systems from other vendors.

cc:Mail's security features are also noteworthy...new utility also deletes out-of-date accounts, a capability the Import/Export utility lacks. **cc :Mail 's** centralized administration utility also makes it easy to move users and their messages across post offices. **cc :Mail** can even conduct **directory synchronizations** with foreign E-mail systems.

cc:Mail gives administrators a great deal of information about...use than those provided for MHS and GMHS (but not as easy as those in **cc : Mail**). And the program's hands-off **directory synchronization** is certainly easy to manage. You can perform synchronizations with several major flavors of E-mail -- **cc :Mail** , MHS, Profs, Message Router, and SNADS -- and with other GroupWise post offices.

Some tasks, such...

...t need to deal with the vagaries of MHS or GMHS. Although Microsoft Mail's **directory synchronization** is not as easy to configure as **cc : Mail 's**, the process is simpler than with the other programs we examined. The major difficulties...connection alternatives not offered by most of the competition.

For example, you can set up **cc :Mail** Mobile to automatically process directory updates when you connect to the host. And you can even schedule Mobile to perform unattended exchanges of **messages** and directory **updates** .

Mobile offers the same easy-to-use interface as the network version of the program...87.50 BeyondMail provides a central administration utility but limited system statistics. Configuring GMHS for **directory synchronization** of multiple post offices is difficult, as is moving users between **post offices** .

Remote client (75) Satisfactory 37.50 Remote package runs over remote versions of MHS. It lacks automatic **directory synchronization** and doesn't let users scan headers. Program lets users connect remotely or directly to...

13/3,K/31   (Item 4 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

07530103   SUPPLIER NUMBER: 15775315   (USE FORMAT 7 OR 9 FOR FULL TEXT)
INFONET INTRODUCES NOTICE PAGE WIRELESS MESSAGING WITH SKYTEL
PR Newswire, p1004LA006
Oct 4, 1994
LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 850   LINE COUNT: 00073

...   the SkyTel System for transmission as wireless messages. Mobile recipients can receive pages, electronic mail **messages** and time-critical information **updates** directly from a colleague sitting at his/her desktop computer. Messages can be received on a variety of **mobile devices** including notebook computers, personal communications devices and alphanumeric pagers.

Infonet and SkyTel Take Leadership Role...

13/3,K/32   (Item 5 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

06744129   SUPPLIER NUMBER: 14609215   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Remote E-mail remains challenge for companies. (News Analysis)
Wylie, Margie
MacWEEK, v7, n43, p20(1)
Nov 1, 1993
ISSN: 0892-8118   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT; ABSTRACT

...   without fear of never seeing it on the home network again. Still,
keeping local and **remote**   **mailboxes** in sync is work. "If you have 10
messages that you've **read** but haven't had time to reply to for ages and
you want to do...
?